



National Accreditation Board for
Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

**LANDMARK MATERIAL TESTING AND RESEARCH
LABORATORY PVT. LTD.**

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

in the field of

TESTING

Certificate Number: TC-8077

Issue Date: 18/11/2022

Valid Until: 17/11/2024

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.
(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Identity : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD.

Signed for and on behalf of NABL



N. Venkateswaran
Chief Executive Officer



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 1 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	CHEMICAL- BUILDING MATERIAL	Admixture	Ash Content	IS 9103
2	CHEMICAL- BUILDING MATERIAL	Admixture	Chloride Content	IS 6925
3	CHEMICAL- BUILDING MATERIAL	Admixture	Dry Material Content	IS 9103
4	CHEMICAL- BUILDING MATERIAL	Admixture	pH Value	IS 9103
5	CHEMICAL- BUILDING MATERIAL	Admixture	Relative Density	IS 9103
6	CHEMICAL- BUILDING MATERIAL	Cement (OPC)	Alumina Content	IS 4032
7	CHEMICAL- BUILDING MATERIAL	Cement (OPC)	Calcium Oxide	IS 4032
8	CHEMICAL- BUILDING MATERIAL	Cement (OPC)	Combined Ferric Oxide and Aluminium Oxide	IS 4032
9	CHEMICAL- BUILDING MATERIAL	Cement (OPC)	Ferric Oxide	IS 4032
10	CHEMICAL- BUILDING MATERIAL	Cement (OPC)	Silica	IS 4032
11	CHEMICAL- BUILDING MATERIAL	Cement (OPC/PPC)	Chloride Content	IS 4032
12	CHEMICAL- BUILDING MATERIAL	Cement (OPC/PPC)	Insoluble Residue	IS 4032
13	CHEMICAL- BUILDING MATERIAL	Cement (OPC/PPC)	Loss on Ignition	IS 4032
14	CHEMICAL- BUILDING MATERIAL	Cement (OPC/PPC)	Magnesium Oxide	IS 4032
15	CHEMICAL- BUILDING MATERIAL	Cement (OPC/PPC)	Sulphur TriOxide	IS 4032
16	CHEMICAL- BUILDING MATERIAL	Coarse Aggregate/Fine Aggregate	Chloride Content	BS EN 1744 (1)
17	CHEMICAL- BUILDING MATERIAL	Coarse Aggregate/Fine Aggregate	Dissolved Silica	IS 2386 (Part 7)
18	CHEMICAL- BUILDING MATERIAL	Coarse Aggregate/Fine Aggregate	Reduction in Alkalinity	IS 2386 (Part 7)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO
INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 2 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
19	CHEMICAL- BUILDING MATERIAL	Coarse Aggregate/Fine Aggregate	Sulfate Content	BS EN 1744 (1)
20	CHEMICAL- BUILDING MATERIAL	Silica Fume	Loss on Ignition	IS 1727
21	CHEMICAL- BUILDING MATERIAL	Silica Fume	Moisture Content of Silica Fume	IS1727
22	CHEMICAL- BUILDING MATERIAL	Tiles	Stain Chemical Resistance of Glazed Tiles	IS 13630 (Part 8)
23	CHEMICAL- BUILDING MATERIAL	Tiles	Stain Chemical Resistance of Unglazed Tiles	IS 13630 (Part 7)
24	CHEMICAL- METALLIC COATINGS & TREATMENT SOLUTIONS	Zinc Coated Iron & Steel Articles	Mass of Zinc Coating	IS 6745
25	CHEMICAL- METALS & ALLOYS	Steel Bar & Structural Steel	Carbon	IS 228 (Part 1)
26	CHEMICAL- METALS & ALLOYS	Steel Bar & Structural Steel	Chromium	IS 228 (Part 6)
27	CHEMICAL- METALS & ALLOYS	Steel Bar & Structural Steel	Manganese	IS 228 (Part 2)
28	CHEMICAL- METALS & ALLOYS	Steel Bar & Structural Steel	Nickel	IS 228 (Part 5)
29	CHEMICAL- METALS & ALLOYS	Steel Bar & Structural Steel	Phosphorus	IS 228 (Part 3)
30	CHEMICAL- METALS & ALLOYS	Steel Bar & Structural Steel	Silicon	IS 228 (Part 8)
31	CHEMICAL- METALS & ALLOYS	Steel Bar & Structural Steel	Sulphur	IS 228 (Part 9)
32	CHEMICAL- SOIL AND ROCK	Bentonite	pH Value	IS 6186
33	CHEMICAL- SOIL AND ROCK	Soil	Calcium Carbonate of Soil	IS 2720 (Part 23)
34	CHEMICAL- SOIL AND ROCK	Soil	Chloride Content	BS EN 1377 (Part 3)
35	CHEMICAL- SOIL AND ROCK	Soil	Organic Matter of Soil	IS 2720 (Part 22)
36	CHEMICAL- SOIL AND ROCK	Soil	pH Value	IS 2720 (Part 26)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 3 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
37	CHEMICAL- SOIL AND ROCK	Soil	Sulphate of Soil	IS 2720 (Part 27)
38	CHEMICAL- SOLID FUELS	Coal	Ash	IS 1350 (Part 1)
39	CHEMICAL- SOLID FUELS	Coal	Gross Calorific Value	IS 1350 (Part 2)
40	CHEMICAL- SOLID FUELS	Coal	Moisture	IS 1350 (Part 1)
41	CHEMICAL- SOLID FUELS	Coal	Volatile Matter	IS 1350 (Part 1)
42	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Common Proofed Canvas/Duck	Alumina Content	IS 2089
43	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Common Proofed Canvas/Duck	Ash Content	IS 2089
44	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Common Proofed Canvas/Duck	Copper And Zinc	IS 2089
45	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Common Proofed Canvas/Duck	Free Alkalinity	IS 2089
46	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Common Proofed Canvas/Duck/Tarpaulins	Free Acidity	IS 2089
47	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Cotton Backing Cloth For Abrasives	Total Size or Glue Added	IS 199
48	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Cotton Canvas/Duck/Paulins	Scouring Loss	IS 1383
49	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Cotton Canvas/Duck/Paulins/Pressed Wool Felts/Polyester/Cotton Blended/Rip-Stop	pH	IS 1390
50	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Cotton Fabric	Residual Starch Content	IS 1967
51	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Double Texture Fabric	Acetone Extract	IS 6110
52	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Double Texture Fabric	Ash Content	IS 6110
53	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Double Texture Fabric	Extractable Sulphur	IS 6110
54	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Double Texture Fabric	Reaction of Aquos Extract	IS 6110
55	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Double Texture Fabric	Resistance to Xylole	IS 6110
56	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Double Texture Fabric	Rubber Polymer Content	IS 6110



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 4 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
57	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Duck Polyester/Cotton Blended	Blend Composition	IS 3416
58	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Expanded Vinyl Coated Fabrics	Colour Fastness To Dry And Wet Rubbing	IS 8698 (ANNEX D)
59	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Expanded Vinyl Coated Fabrics	Colour Fastness To Light	IS 8698 (ANNEX E)
60	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Expanded Vinyl Coated Fabrics	Gelling Test	IS 8698
61	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Expanded Vinyl Coated Fabrics	Resistance To Cold	IS 8698
62	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Expanded Vinyl Coated Fabrics	Test For Colour Grain And Finish	IS 8698 (Annex B)
63	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fabric	Color fastness to Washing	IS ISO 105 C10
64	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fabric	Colour fastness of textile materials to sublimation	IS 975
65	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fabric	Colour Fastness to Rubbing	IS ISO 105 X12
66	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fabric	Determination of color fastness of textile to Artificial light (Xenon Lamp)	ISO 105 B 02
67	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fabric,Woven Glass Fibre, For Electrical Insulation And Plastic Laminate (Loomstate Fabrics)	Size Content	IS 13128 (Part 1)
68	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Fabrics For Awnings And Camping Tents	Resistance Against Cold Cracks	IS 7016 (Part 10)
69	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Grey and Finish Cotton Textile Material	Moisture	IS 199
70	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Grey And Finished Cotton Textile Material	Determination of Moisture	IS 199
71	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Grey And Finished Cotton Textile Material	Barium Activity No.	IS 1689
72	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Grey And Finished Cotton Textile Material	Determination of Fatty Matter	IS 199
73	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Grey And Finished Cotton Textile Material	Determination of Total Size or Finish	IS 199
74	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Grey And Finished Cotton Textile Material	Oil Content	IS 2969



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 5 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
75	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Grey And Finished Cotton Textile Material	Wettability	IS 2349
76	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Nonwoven Fusible Interlinings	Flexibility And Durability	IS 12806
77	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Polyester Cotton Belting Duck	Starch Content	IS 12416 (APPENDIX A)
78	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Pressed Wool Felt	Chloride Content	IS 4202
79	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Pressed Wool Felt	Wool Content	IS 8476
80	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Pressed Wool Felts	Ash Content	IS 199
81	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Pressed Wool Felts	Benzene Methyl Alcohol Soluble Matter	IS 4390
82	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Pressed Wool Felts	Non Wool Content	IS 1719
83	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Pressed Wool Felts	Sulphate Content	IS 4203
84	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Pressed Wool Felts	Water Soluble Matter	IS 3456
85	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Proofed Canvas Fabric	Cone Test	IS 6803
86	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Proofed Canvas Fabric	Proofing Content	IS 6803
87	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Proofed Canvas Fabric/Waterproof Tarpaulins Made From Woven Polyester Fabric	pH	IS 1390
88	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PVC Coated Fabric	Color Fastness to dry and Wet	IS 3322 (Part 1)
89	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PVC Coated Fabric	Color Fastness to Light	IS 3322 (part 1)
90	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PVC Coated Fabric for Footwear Industries	Colour	IS 1259
91	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PVC Coated Fabric for Footwear Industries	Resistance To Gelling	IS 8699
92	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PVC Coated Fabric for Footwear Industries	Stability at Vulcanisation Temperature	IS 8699
93	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PVC-Coated Fabrics	Blocking	IS 7016 (Part 9)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 6 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
94	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	PVC-Coated Fabrics	Fusion	IS 3322 (Part 1)
95	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Single Texture Fabric	Extractable Sulphur	IS 5915
96	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Single Texture Fabric	Reaction of Aquos Extract	IS 5915
97	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Single Texture Fabric	Resistance To Acid And Alkali	IS 5915
98	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Single Texture Fabric	Rubber Polymer Content	IS 5915
99	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Single Texture Fabric	Waterproofness	IS 5915
100	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Special Proofed Canvas and Duck/Waterproof Tarpaulins Made From Woven Polyester Fabric	Color fastness to artificial light by Xenon arc fading lamp test	ISO 105 B02
101	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Special Proofed Canvas and Duck/Waterproof Tarpaulins Made From Woven Polyester Fabric	Color Fasting to Washing with Soap and Soda	IS ISO 105 C10
102	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Textiles	Colour Fastness to Perspiration	IS ISO 105 E04
103	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tracing Cloth	pH	IS 2037 (Annex A3)
104	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Tracing Cloth	Inking And Erasing	IS 2037 (Annex A6)
105	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Vinyl Coated Fabrics	Bleeding Test	IS 1259
106	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Vinyl Coated Fabrics	Resistance To Cold	IS 1259
107	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Vinyl Coated Fabrics	Surface Resistance To Chemicals	IS 1259
108	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Vinyl Coated Fabrics	Test For Colour, Grain Embossing And Finish	IS 1259 (Annex A)
109	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Vinyl Coated Fabrics/PVC Coated Fabric for Footwear industries	COLOUR FASTNESS TO LIGHT	IS 1259 (Annex D)
110	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Vinyl Coated Fabrics/PVC-Coated Fabrics	COLOUR FASTNESS TO DRY AND WET RUBBING	IS 1259 (Annex C)
111	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Waterproof Tarpaulins Made From Woven Polyester Fabric	Loss of Volatile Matter on Heating	IS 16126 (Annex D)
112	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarn And Fabric	Determination of Chromium	IS 4655



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 7 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
113	CHEMICAL- TEXTILE (WOVEN & NON WOVEN)	Yarn And Fabric	Determination Of Iron	IS 4655
114	CHEMICAL- WATER	Drinking Water	Calcium	IS 3025 (Part 40)
115	CHEMICAL- WATER	Drinking Water	Fluoride	IS 3025 (Part 60)
116	CHEMICAL- WATER	Drinking Water	Magnesium	IS 3025 (Part 46)
117	CHEMICAL- WATER	Drinking Water	Total Dissolved Solid	IS 3025 (Part 16)
118	CHEMICAL- WATER	Drinking Water	Total Hardness	IS 3025 (Part 21)
119	CHEMICAL- WATER	Drinking Water	Total Solids	IS 3025 (Part 15)
120	CHEMICAL- WATER	Water for construction purpose	Acidity (Volume of 0.02N NaOH Required to Neutralize 100 ml)	IS 3025 (Part 22)
121	CHEMICAL- WATER	Water for construction purpose	Alkalinity (Volume of 0.02N H2SO4 required to neutralize 100 ml)	IS 3025 (Part 23)
122	CHEMICAL- WATER	Water for construction purpose	Chloride Content of construction water	IS 3025 (Part 32)
123	CHEMICAL- WATER	Water for construction purpose	Fixed Residue of Construction Water	IS 3025 (Part 18)
124	CHEMICAL- WATER	Water for construction purpose	pH of Construction Water	IS 3025 (Part 11)
125	CHEMICAL- WATER	Water for construction purpose	Sulphates of construction water	IS 3025 (Part 24 Sec 1)
126	CHEMICAL- WATER	Water for construction purpose	Total Suspended Solids of Construction Water	IS 3025 (Part 17)
127	CHEMICAL- WATER	Water for construction purpose	Volatile Residue of Construction Water	IS 3025 (Part 18)
128	MECHANICAL- BUILDINGS MATERIALS	Aggregate/Gravel	Gravel Resistivity	CBIP Manual 311
129	MECHANICAL- BUILDINGS MATERIALS	Anti-Stripping Agents	Coating Retention Test	IS 14982 (ANNEX C)
130	MECHANICAL- BUILDINGS MATERIALS	Anti-Stripping Agents	Indirect Tensile Strength	IS 14982 (ANNEX D)
131	MECHANICAL- BUILDINGS MATERIALS	Anti-Stripping Agents	Specific Gravity	IS 1202
132	MECHANICAL- BUILDINGS MATERIALS	Anti-Stripping Agents	Under Water Coating Test	IS 14982 (ANNEX B)
133	MECHANICAL- BUILDINGS MATERIALS	Autoclaved Cellular (Aerated) Concrete Products	Bulk Density	IS 6441 (Part I)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 8 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
134	MECHANICAL- BUILDINGS MATERIALS	Autoclaved Cellular (Aerated) Concrete Products	Compressive Strength	IS 6441 (Part V)
135	MECHANICAL- BUILDINGS MATERIALS	Autoclaved Cellular (Aerated) Concrete Products	Dimensions (Height)	IS 2185 (Part III)
136	MECHANICAL- BUILDINGS MATERIALS	Autoclaved Cellular (Aerated) Concrete Products	Dimensions (Length)	IS 2185 (Part III)
137	MECHANICAL- BUILDINGS MATERIALS	Autoclaved Cellular (Aerated) Concrete Products	Dimensions (Width/Thickness)	IS 2185 (Part III)
138	MECHANICAL- BUILDINGS MATERIALS	Autoclaved Cellular (Aerated) Concrete Products	Moisture Content	IS 6441 (Part I)
139	MECHANICAL- BUILDINGS MATERIALS	Bitumen	Separation Difference in Softening Point	IS 15462
140	MECHANICAL- BUILDINGS MATERIALS	Bitumen	Viscosity at 150 deg.C	ASTM D 4402
141	MECHANICAL- BUILDINGS MATERIALS	Bitumen (Industrial)	Loss on Heating	IS 1212
142	MECHANICAL- BUILDINGS MATERIALS	Bitumen (Industrial/Paving)	Ductility on Residue	IS 1208
143	MECHANICAL- BUILDINGS MATERIALS	Bitumen (Industrial/Paving)	Penetration Test	IS 1203
144	MECHANICAL- BUILDINGS MATERIALS	Bitumen (Industrial/Paving/Polymer Modified Bitumen)	Flash Point	IS 1209
145	MECHANICAL- BUILDINGS MATERIALS	Bitumen (Industrial/Paving/Polymer Modified Bitumen)	Softening Point	IS 1205
146	MECHANICAL- BUILDINGS MATERIALS	Bitumen (Industrial/Paving/Polymer Modified Bitumen)	Specific Gravity	IS 1202
147	MECHANICAL- BUILDINGS MATERIALS	Bitumen (Industrial/Polymer Modified Bitumen)	Loss in Mass	IS 9382
148	MECHANICAL- BUILDINGS MATERIALS	Bitumen (Paving)	Absolute Viscosity at 60 deg. C	ASTM D 4402
149	MECHANICAL- BUILDINGS MATERIALS	Bitumen (Paving)	Kinematic Viscosity at 135 deg.C	ASTM D 4402
150	MECHANICAL- BUILDINGS MATERIALS	Bitumen (Paving)	Solubility in Trichloroethylene	IS 1216
151	MECHANICAL- BUILDINGS MATERIALS	Bitumen (Polymer Modified Bitumen)	Elastic Recovery at 15 deg. C	IS 15462
152	MECHANICAL- BUILDINGS MATERIALS	Bitumen (Polymer Modified Bitumen)	Elastic Recovery at 25 deg. C	IS 15462



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 9 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
153	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Coagulation of Emulsion	IS 8887 (Annexure C)
154	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Coating Ability & Water Resistance	IS 8887 (Annexure F)
155	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Distillation	IS 1213
156	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Ductility on Residue	IS 1208
157	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Miscibility with Water	IS 8887 (Annexure H)
158	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Particle Charge	IS 8887 (Annexure E)
159	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Penetration on Residue	IS 1203
160	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Residue by Evaporation	IS 8887 (Annexure J)
161	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Residue on 600 micron	IS 8887 (Annexure B)
162	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Solubility in Trichloroethylene on Residue	IS 1216
163	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Stability with Mixing of Cement	IS 8887 (Annexure G)
164	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Storage Stability	IS 8887 (Annexure D)
165	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Viscosity by Saybolt Furol Viscometer at 25 deg. C	IS 3117
166	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Viscosity by Saybolt Furol Viscometer at 50 deg. C	IS 3117
167	MECHANICAL- BUILDINGS MATERIALS	Bitumen Emulsion	Water Content	IS 1211
168	MECHANICAL- BUILDINGS MATERIALS	Bitumen Mastic Asphalt	Hardness Number	IS 1195 (Annexure E)
169	MECHANICAL- BUILDINGS MATERIALS	Bitumen Mixes (BC/DBM/SDBC/SMA/BM)	Bitumen Mixes	MS 2
170	MECHANICAL- BUILDINGS MATERIALS	Bituminous Mix	Bitumen Content	ASTM D 2172
171	MECHANICAL- BUILDINGS MATERIALS	Bituminous Mix	Density	ASTM D 2726



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 10 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
172	MECHANICAL- BUILDINGS MATERIALS	Bituminous Mix	Marshall Stability	ASTM D 6927
173	MECHANICAL- BUILDINGS MATERIALS	Bituminous Mix	Marshall Stability	IS 17127
174	MECHANICAL- BUILDINGS MATERIALS	Bituminous Mix	Maximum Theoretical Specific Gravity (Gmm)	ASTM D 2041
175	MECHANICAL- BUILDINGS MATERIALS	Bituminous Mix/Core	Tensile Strength Ratio	IRC SP 79 (Annexure E)
176	MECHANICAL- BUILDINGS MATERIALS	Bricks/Heavy Duty Burnt Clay Building Bricks/Pulverized Fuel Ash-Lime Bricks (Pulverized Fuel Ash-Lime Bricks)	Dimensions Width	IS 12894
177	MECHANICAL- BUILDINGS MATERIALS	Bricks/Heavy Duty Burnt Clay Building Bricks/Pulverized Fuel Ash-Lime Bricks	Dimensions Height (Heavy Duty)	IS 2180
178	MECHANICAL- BUILDINGS MATERIALS	Bricks/Heavy Duty Burnt Clay Building Bricks/Pulverized Fuel Ash-Lime Bricks	Dimensions Height (Common Burnt Clay Building Bricks)	IS 1077
179	MECHANICAL- BUILDINGS MATERIALS	Bricks/Heavy Duty Burnt Clay Building Bricks/Pulverized Fuel Ash-Lime Bricks	Dimensions Width (Heavy Duty)	IS 2180
180	MECHANICAL- BUILDINGS MATERIALS	Bricks/Heavy Duty Burnt Clay Building Bricks/Pulverized Fuel Ash-Lime Bricks	Bulk Density (Heavy Duty)	IS 2180
181	MECHANICAL- BUILDINGS MATERIALS	Bricks/Heavy Duty Burnt Clay Building Bricks/Pulverized Fuel Ash-Lime Bricks	Compressive Strength	IS 3495 (Part I)
182	MECHANICAL- BUILDINGS MATERIALS	Bricks/Heavy Duty Burnt Clay Building Bricks/Pulverized Fuel Ash-Lime Bricks	Dimensions Length (Common Burnt Clay Building Bricks)	IS 1077
183	MECHANICAL- BUILDINGS MATERIALS	Bricks/Heavy Duty Burnt Clay Building Bricks/Pulverized Fuel Ash-Lime Bricks	Dimensions Length (Heavy Duty)	IS 2180
184	MECHANICAL- BUILDINGS MATERIALS	Bricks/Heavy Duty Burnt Clay Building Bricks/Pulverized Fuel Ash-Lime Bricks	Dimensions Length (Pulverized Fuel Ash-Lime Bricks)	IS 12894
185	MECHANICAL- BUILDINGS MATERIALS	Bricks/Heavy Duty Burnt Clay Building Bricks/Pulverized Fuel Ash-Lime Bricks	Dimensions Width (Common Burnt Clay Building Bricks)	IS 1077
186	MECHANICAL- BUILDINGS MATERIALS	Bricks/Heavy Duty Burnt Clay Building Bricks/Pulverized Fuel Ash-Lime Bricks	Efflorescence	IS 3495 (Part III)
187	MECHANICAL- BUILDINGS MATERIALS	Bricks/Heavy Duty Burnt Clay Building Bricks/Pulverized Fuel Ash-Lime Bricks	Water Absorption	IS 3495 (Part II)
188	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Compressive Strength	IS 4031 (Part 6)
189	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Consistency	IS 4031 (Part 4)
190	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Density	IS 4031 (Part 11)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 11 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
191	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Fineness Test (Dry)	IS 4031 (Part 1)
192	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Fineness Test by Blaine Air Permeability Method	IS 4031 (Part 2)
193	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Initial Setting Time/Final Setting Time	IS 4031 (Part 5)
194	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Soundness by Autoclave	IS 4031 (Part 3)
195	MECHANICAL- BUILDINGS MATERIALS	Cement (OPC/PPC)	Soundness by Le-Chatelier Method	IS 4031 (Part 3)
196	MECHANICAL- BUILDINGS MATERIALS	Cement Concrete Flooring Tile	Flatness	IS 1237
197	MECHANICAL- BUILDINGS MATERIALS	Cement Concrete Flooring Tile	Perpendicularity	IS 1237
198	MECHANICAL- BUILDINGS MATERIALS	Cement Concrete Flooring Tile	Resistance to Wear	IS 1237
199	MECHANICAL- BUILDINGS MATERIALS	Cement Concrete Flooring Tile	Straightness	IS 1237
200	MECHANICAL- BUILDINGS MATERIALS	Cement Concrete Flooring Tile	Water Absorption	IS 1237
201	MECHANICAL- BUILDINGS MATERIALS	Cement Concrete Flooring Tile	Wet Transverse Strength	IS 1237
202	MECHANICAL- BUILDINGS MATERIALS	Cement Mortar	Compressive Strength of Mortar	IS 2250
203	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Vitrified Tiles	Bulk Density	IS 13630 (Part 2)
204	MECHANICAL- BUILDINGS MATERIALS	Ceramic / Vitrified Tiles	Resistance to Thermal Shock	IS 13630 (Part 5)
205	MECHANICAL- BUILDINGS MATERIALS	Ceramic Tile	Dimension (Length)	IS 13630 (Part 1)
206	MECHANICAL- BUILDINGS MATERIALS	Ceramic Tile/Vitrified Tiles	Breaking Strength	IS 13630 (Part 6)
207	MECHANICAL- BUILDINGS MATERIALS	Ceramic Tile/Vitrified Tiles	Modulus of Rupture	IS 13630 (Part 6)
208	MECHANICAL- BUILDINGS MATERIALS	Ceramic Tile/Vitrified Tiles	Rectangularity	IS 13630 (Part 1)
209	MECHANICAL- BUILDINGS MATERIALS	Ceramic Tile/Vitrified Tiles	Scratch Hardness of Surface (Mohs' Scale)	IS 13630 (Part 13)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 12 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
210	MECHANICAL- BUILDINGS MATERIALS	Ceramic Tile/Vitrified Tiles	Straightness	IS 13630 (Part 1)
211	MECHANICAL- BUILDINGS MATERIALS	Ceramic Tile/Vitrified Tiles	Water Absorption	IS 13630 (Part 2)
212	MECHANICAL- BUILDINGS MATERIALS	Ceramic Tiles	Dimension (Thickness)	IS 13630 (Part 1)
213	MECHANICAL- BUILDINGS MATERIALS	Ceramic Tiles	Dimension (Width)	IS 13630 (Part 1)
214	MECHANICAL- BUILDINGS MATERIALS	Ceramic/Vitrified Tile	Flatness	IS 13630 (Part 1)
215	MECHANICAL- BUILDINGS MATERIALS	Chequered Cement Concrete Tile	Flatness	IS 13801
216	MECHANICAL- BUILDINGS MATERIALS	Chequered Cement Concrete Tile	Perpendicularity	IS 13801
217	MECHANICAL- BUILDINGS MATERIALS	Chequered Cement Concrete Tile	Resistance to Wear	IS 13801
218	MECHANICAL- BUILDINGS MATERIALS	Chequered Cement Concrete Tile	Straightness	IS 13801
219	MECHANICAL- BUILDINGS MATERIALS	Chequered Cement Concrete Tile	Water Absorption	IS 13801
220	MECHANICAL- BUILDINGS MATERIALS	Chequered Tile	Dimension (Length)	IS 13801
221	MECHANICAL- BUILDINGS MATERIALS	Chequered Tile	Dimension (Thickness)	IS 13801
222	MECHANICAL- BUILDINGS MATERIALS	Chequered Tile	Dimension (Width)	IS 13801
223	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate / Ballast/GSB	Impact Value (Wet)	IS 5640
224	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast	10% Fines Value	IS 2386 (Part IV)
225	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast	Bulk Density	IS 2386 (Part III)
226	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast	Clay Lumps	IS 2386 (Part II)
227	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast	Crushing Value	IS 2386 (Part IV)
228	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast	Materials Finer Than 75 Micron	IS 2386 (Part I)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 13 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
229	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast	Sieve Analysis (Gradation)	IS 2386 (Part I)
230	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast	Soft Particles	IS 2386 (Part 2)
231	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast	Specific Gravity	IS 2386 (Part III)
232	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast	Stripping Value	IS 6241
233	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast	Water Absorption	IS 2386 (Part III)
234	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast/WBM/WMM	Elongation Index	IS 2386 (Part I)
235	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast/WBM/WMM	Flakiness Index	IS 2386 (Part I)
236	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast/WBM/WMM	Los Angeles Abrasion Value	IS 2386 (Part IV)
237	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast/WBM/WMM	Soundness	IS 2386 (Part V)
238	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate/Ballast/WMM/GSB	Impact Value	IS 2386 (Part IV)
239	MECHANICAL- BUILDINGS MATERIALS	Concrete	Compressive Strength (Core)	IS 516 (Part IV)
240	MECHANICAL- BUILDINGS MATERIALS	Concrete	Compressive Strength of Accelerated-Cured Concrete	IS 9013
241	MECHANICAL- BUILDINGS MATERIALS	Concrete Mix	Air Content of Fresh Concrete	IS 1199 (part 4)
242	MECHANICAL- BUILDINGS MATERIALS	Concrete Mix	Setting Time of Concrete by Penetration Resistance	IS 1199 (Part 7)
243	MECHANICAL- BUILDINGS MATERIALS	Concrete Mix (Self Compacting Concrete/PQC/DLC/Normal Concrete)	Concrete Mix	IS 10262
244	MECHANICAL- BUILDINGS MATERIALS	Concrete Mix/Cement treated sub-base/Shotcrete/PQC/Concrete Admixture	Compressive Strength (Cube)	IS 516 (part 1 Sec 1)
245	MECHANICAL- BUILDINGS MATERIALS	Concrete Mix/Cement treated sub-base/Shotcrete/PQC/Concrete Admixture	Flexural Strength	IS: 516 (Part 1 Sec 1)
246	MECHANICAL- BUILDINGS MATERIALS	Concrete Mix/Shotcrete/PQC	Workability by Compacting Factor	IS 1199 (Part II)
247	MECHANICAL- BUILDINGS MATERIALS	Concrete Mix/Shotcrete/PQC/Concrete Admixture	Workability by Slump Test	IS 1199 (Part II)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 14 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
248	MECHANICAL- BUILDINGS MATERIALS	Concrete Tile	Dimension (Length)	IS 1237
249	MECHANICAL- BUILDINGS MATERIALS	Concrete Tile	Dimension (Width)	IS 1237
250	MECHANICAL- BUILDINGS MATERIALS	Concrete Tiles	Dimension (Thickness)	IS 1237
251	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Bulk Density	IS 2386 (Part III)
252	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Clay Lumps	IS 2386 (Part II)
253	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Clay, Fine Silt & Fine Dust (Sedimentation Method)	IS 2386 (Part II)
254	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Materials Finer Than 75 Micron	IS 2386 (Part I)
255	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Sand Equivalent Value	IS 2720 (Part XXXVII)
256	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Sieve Analysis (Gradation)	IS 2386 (Part I)
257	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Soundness	IS 2386 (Part V)
258	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Specific Gravity	IS 2386 (Part III)
259	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Water Absorption	IS 2386 (Part III)
260	MECHANICAL- BUILDINGS MATERIALS	Fly Ash	Final Setting Time of Fly Ash	IS 1727
261	MECHANICAL- BUILDINGS MATERIALS	Fly ash	Fineness by Blaine Air Permeability Method	IS 1727
262	MECHANICAL- BUILDINGS MATERIALS	Fly Ash	Initial Setting Time of Fly Ash	IS 1727
263	MECHANICAL- BUILDINGS MATERIALS	Fly ash	Residue on 45 micron	IS 1727
264	MECHANICAL- BUILDINGS MATERIALS	Fly ash	Soundness by Autoclave	IS 1727
265	MECHANICAL- BUILDINGS MATERIALS	Fly ash	Soundness by Le-Chatelier Method	IS 4031 (Part 3)
266	MECHANICAL- BUILDINGS MATERIALS	Fresh Concrete	Density	IS 1199 (Part 3)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 15 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
267	MECHANICAL- BUILDINGS MATERIALS	Fresh Concrete	L-box Test	IS 1199 (part 6)
268	MECHANICAL- BUILDINGS MATERIALS	Fresh Concrete	SIEVE SEGREGATION RESISTANCE TEST	IS 1199 (Part 6)
269	MECHANICAL- BUILDINGS MATERIALS	Fresh Concrete	Slump flow	IS 1199 (Part 6)
270	MECHANICAL- BUILDINGS MATERIALS	Fresh Concrete	T-50cm Slump Flow	IS 1199 (Part 6)
271	MECHANICAL- BUILDINGS MATERIALS	Fresh Concrete	V-Funnel test	IS 1199 (Part 6)
272	MECHANICAL- BUILDINGS MATERIALS	GI Pipe	Nominal Mass	IS 1239 (Part 1)
273	MECHANICAL- BUILDINGS MATERIALS	GI Pipe	Outside Diameter	IS 1239 (Part 1)
274	MECHANICAL- BUILDINGS MATERIALS	GI Pipe	Thickness	IS 1239 (Part 1)
275	MECHANICAL- BUILDINGS MATERIALS	Hardened Concrete	Depth of Water Penetration Under Pressure	IS 516 (Part 2)
276	MECHANICAL- BUILDINGS MATERIALS	Hardened Concrete	Density	IS 516 (Part 2)
277	MECHANICAL- BUILDINGS MATERIALS	Hardened Concrete	Depth of Penetration of Water Under Pressure	BS EN 12390 (Part 8)
278	MECHANICAL- BUILDINGS MATERIALS	Hardened Concrete	Split Tensile Strength	IS 516 (Part 1)
279	MECHANICAL- BUILDINGS MATERIALS	Hollow & Solid Concrete Block	Block Density	IS 2185 (Part I) Annexure C
280	MECHANICAL- BUILDINGS MATERIALS	Hollow & Solid Concrete Block	Compressive Strength	IS 2185 (Part I) Annexure D
281	MECHANICAL- BUILDINGS MATERIALS	Hollow & Solid Concrete Block	Decommission (Thickness)	IS 2185 (Part I) Annexure B
282	MECHANICAL- BUILDINGS MATERIALS	Hollow & Solid Concrete Block	Dimension (Length)	IS 2185 (Part I) Annexure B
283	MECHANICAL- BUILDINGS MATERIALS	Hollow & Solid Concrete Block	Dimensions (Width)	IS 2185 (Part I) Annexure B
284	MECHANICAL- BUILDINGS MATERIALS	Hollow & Solid Concrete Block	Water Absorption	IS 2185 (Part I) Annexure E
285	MECHANICAL- BUILDINGS MATERIALS	Paver Block	Abrasion Resistance	IS 15658 (Annexure E)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 16 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
286	MECHANICAL- BUILDINGS MATERIALS	Paver Block	Compressive Strength	IS 15658 (Annexure D)
287	MECHANICAL- BUILDINGS MATERIALS	Paver Block	Deviation from Squareness	IS 15658 (Annexure B)
288	MECHANICAL- BUILDINGS MATERIALS	Paver Block	Dimension (Length)	IS 15658
289	MECHANICAL- BUILDINGS MATERIALS	Paver Block	Dimension (Width)	IS 15658
290	MECHANICAL- BUILDINGS MATERIALS	Paver Block	Dimensions (Thickness)	IS 15658 (Annexure B)
291	MECHANICAL- BUILDINGS MATERIALS	Paver Block	Flexural Strength	IS 15658
292	MECHANICAL- BUILDINGS MATERIALS	Paver Block	Tensile Splitting Strength	IS 15658
293	MECHANICAL- BUILDINGS MATERIALS	Paver Block	Thickness of Wearing Layer	IS 15658
294	MECHANICAL- BUILDINGS MATERIALS	Paver Block	Visual Inspection	IS 15658
295	MECHANICAL- BUILDINGS MATERIALS	Paver Block	Water Absorption	IS 15658 (Annexure C)
296	MECHANICAL- BUILDINGS MATERIALS	Plywood/Shuttering Plywood	Density	IS 1734 (Part I)
297	MECHANICAL- BUILDINGS MATERIALS	Plywood/Shuttering Plywood	Moisture Content	IS 1734 (Part I)
298	MECHANICAL- BUILDINGS MATERIALS	Plywood/Shuttering Plywood	Resistance to Dry Heat	IS 1734 (Part 2)
299	MECHANICAL- BUILDINGS MATERIALS	Silica Fume	Residue on 45 micron	IS 1727
300	MECHANICAL- BUILDINGS MATERIALS	Steel Bar	TS/YS Ratio	IS 1786
301	MECHANICAL- BUILDINGS MATERIALS	Steel Bars, High Strength Deformed Steel Bars & Reinforcement Coupler	% Elongation	IS 1608 (Part 1)
302	MECHANICAL- BUILDINGS MATERIALS	Steel Bars, High Strength Deformed Steel Bars & Reinforcement Coupler	Bend Test	IS 1599
303	MECHANICAL- BUILDINGS MATERIALS	Steel Bars, High Strength Deformed Steel Bars & Reinforcement Coupler	Nominal Mass (Weight per meter)	IS 1786
304	MECHANICAL- BUILDINGS MATERIALS	Steel Bars, High Strength Deformed Steel Bars & Reinforcement Coupler	Re-bend Test	IS 1786



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 17 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
305	MECHANICAL- BUILDINGS MATERIALS	Steel Bars, High Strength Deformed Steel Bars & Reinforcement Coupler	Tensile Strength	IS 1608 (Part 1)
306	MECHANICAL- BUILDINGS MATERIALS	Steel Bars, High Strength Deformed Steel Bars & Reinforcement Coupler	Total Elongation at Maximum Force	IS 1608 (Part 1)
307	MECHANICAL- BUILDINGS MATERIALS	Steel Bars, High Strength Deformed Steel Bars & Reinforcement Coupler	Yield Stress/0.2% Proof Stress	IS 1608 (Part 1)
308	MECHANICAL- BUILDINGS MATERIALS	Structural steel (Sheets, Strips, Flats, Sections & Bars)/Steel Bolt/Metal Beam Crush Barrier (MBCB)	% Elongation	IS 1608 (Part 1)
309	MECHANICAL- BUILDINGS MATERIALS	Structural steel (Sheets, Strips, Flats, Sections & Bars)/Steel Bolt/Metal Beam Crush Barrier (MBCB)	Bend Test	IS 1599
310	MECHANICAL- BUILDINGS MATERIALS	Structural steel (Sheets, Strips, Flats, Sections & Bars)/Steel Bolt/Metal Beam Crush Barrier (MBCB)	Tensile Strength	IS 1608 (Part 1)
311	MECHANICAL- BUILDINGS MATERIALS	Structural steel (Sheets, Strips, Flats, Sections & Bars)/Steel Bolt/Metal Beam Crush Barrier (MBCB)	Yield Stress (0.2% Proof Stress)	IS 1608 (Part 1)
312	MECHANICAL- BUILDINGS MATERIALS	Thermoplastic Road Marking Paint	Binder Content	BS 3262 (Part 1)
313	MECHANICAL- BUILDINGS MATERIALS	Thermoplastic Road Marking paint	Glass Beads Content	Aashto T 250 (05)
314	MECHANICAL- BUILDINGS MATERIALS	Thermoplastic Road Marking Paint	Softening Point	ASTM D36
315	MECHANICAL- BUILDINGS MATERIALS	Tile Adhesive	Adjustment Time of Tile	IS 15477
316	MECHANICAL- BUILDINGS MATERIALS	Tile Adhesive	Open Time of Tile	IS 15477
317	MECHANICAL- BUILDINGS MATERIALS	Tile Adhesive	Slip Time	IS 15477
318	MECHANICAL- BUILDINGS MATERIALS	Uncoated Stress Relieved Low Relaxation Seven-Wire (Ply) Strand Wire	0.2 Percent Proof Load	IS 1608 (Part 1)
319	MECHANICAL- BUILDINGS MATERIALS	Uncoated Stress Relieved Low Relaxation Seven-Wire (Ply) Strand Wire	Breaking Strength	IS 1608 (Part 1)
320	MECHANICAL- BUILDINGS MATERIALS	Uncoated Stress Relieved Low Relaxation Seven-Wire (Ply) Strand Wire	Nominal Mass	IS 1608 (Part 1)
321	MECHANICAL- BUILDINGS MATERIALS	Uncoated Stress Relieved Low Relaxation Strand Wire	Nominal Cross Sectional Area	IS 14268
322	MECHANICAL- BUILDINGS MATERIALS	Uncoated Stress Relieved Low Relaxation Seven-Wire (Ply) Strand Wire	Elongation	IS 1608 (Part 1)
323	MECHANICAL- BUILDINGS MATERIALS	Uncoated Stress Relieved Low Relaxation Strand Wire	Length of Lay	14268



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 18 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
324	MECHANICAL- BUILDINGS MATERIALS	Uncoated Stress Relieved Low Relaxation Strand Wire	Nominal Diameter	14268
325	MECHANICAL- BUILDINGS MATERIALS	Uncoated Stress Relieved Low Relaxation Strand Wire	Percentage difference in diameter of centre wire and surrounding wire	14268
326	MECHANICAL- BUILDINGS MATERIALS	Uncoated Stress Relieved Low Relaxation Strand Wire	Tensile Strength	IS 14268
327	MECHANICAL- BUILDINGS MATERIALS	Wood/Timber	Moisture Content	IS 1708 (Part 1)
328	MECHANICAL- BUILDINGS MATERIALS	Wood/Timber	Specific Gravity	IS 1708 (Part 2)
329	MECHANICAL- PAPER & PAPER PRODUCTS	Paper	Burst Strength	IS 1060(Part 6 Sec 2)
330	MECHANICAL- PAPER & PAPER PRODUCTS	Paper	Cobb Test	IS 1060 (Part 5 Sec 4)
331	MECHANICAL- PAPER & PAPER PRODUCTS	Paper	Grammage	IS 1060 (Part 1)
332	MECHANICAL- PAPER & PAPER PRODUCTS	Paper	Percentage Elongation of Paper	IS 1060 (Part 5 Sec 6)
333	MECHANICAL- PAPER & PAPER PRODUCTS	Paper	Tensile Strength	IS 1060 (Part 5 Sec 6)
334	MECHANICAL- PAPER & PAPER PRODUCTS	Paper	Thickness	IS 1060 (Part 5 Sec 3)
335	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	LDPE	Initial Tear Resistance	IS 2508
336	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	LDPE	Tensile Strength	IS 13360 (Part 5 Sec 1)
337	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	LDPE	Thickness	IS 2508
338	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic	Vicat Softening Temperature	IS 13360 (Part 6 Sec 1)
339	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic	Density	IS 13360 (Part 3 Sec 10)
340	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic	Percentage Elongation of Plastic	IS 13360 (Part 5 Sec 1)
341	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic	Tensile Strength of Plastic	IS 13360 (Part 5 Sec 1)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO
INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-8077

Page No

19 of 43

Validity

18/11/2022 to 17/11/2024

Last Amended on

26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
342	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic Pipes and Plastic Products	Mean Outside Diameter	IS 12235 (Part I)
343	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic Pipes and Plastic Products	Resistance to Internal Hydrostatic Pressure	IS 12235 (Part 8)
344	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic Pipes and Plastic Products	Wall Thickness	IS 12235 (Part I)
345	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic Pipes and Plastic Products	Density	IS 12235 (Part 14)
346	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Plastic Pipes and Plastic Products	Outside Diameter at any Point	IS 12235 (Part I)
347	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Change in Elongation	IS 3400 (Part 1)
348	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Change in Tensile Strength	IS 3400 (Part 1)
349	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Density of Rubber	IS 3400 (Part 1)
350	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Elongation at Break	IS 3400 (Part 1)
351	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Hardness (Shore-A)	IS 3400 (Part 1)
352	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Tear strength of Rubber	IS 3400 (Part 12)
353	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Tensile Strength at Break	IS 3400 (Part 1)
354	MECHANICAL- RUBBER AND RUBBER PRODUCTS	Rubber	Thickness of Rubber	ISO 23529
355	MECHANICAL- SOIL AND ROCK	Bentonite	Fineness (Dry)	IS 6186
356	MECHANICAL- SOIL AND ROCK	Bentonite	Moisture Content	IS 6186
357	MECHANICAL- SOIL AND ROCK	Bentonite	Sand Content	IS 6186
358	MECHANICAL- SOIL AND ROCK	Bentonite	Swelling Power	IS 6186
359	MECHANICAL- SOIL AND ROCK	Cement treated sub-base	Grain Size analysis	IS 2720 (Part 4)
360	MECHANICAL- SOIL AND ROCK	Granular sub base	Grain Size Analysis	IS 2720 (Part 4)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 20 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
361	MECHANICAL- SOIL AND ROCK	Natural Building Stone (Marble/Granite/Slate/Quartz)	Apparent Porosity	IS 1124
362	MECHANICAL- SOIL AND ROCK	Natural Building Stone (Marble/Granite/Slate/Quartz)	Apparent Specific Gravity	IS 1124
363	MECHANICAL- SOIL AND ROCK	Natural Building Stone (Marble/Granite/Slate/Quartz)	Compressive Strength	IS 1121 (Part 1)
364	MECHANICAL- SOIL AND ROCK	Natural Building Stone (Marble/Granite/Slate/Quartz)	Scratch Hardness of Surface (Mohs' Scale)	IS 13630 (Part 13)
365	MECHANICAL- SOIL AND ROCK	Natural Building Stone (Marble/Granite/Slate/Quartz)	True Specific Gravity	IS 1122
366	MECHANICAL- SOIL AND ROCK	Natural Building Stone (Marble/Granite/Slate/Quartz)	Ultrasonic Pulse Velocity	IS 14223-part-1: 1995, IS 516 (Part 5 Sec 1)
367	MECHANICAL- SOIL AND ROCK	Natural Building Stone (Marble/Granite/Slate/Quartz)	Water Absorption	IS 1124
368	MECHANICAL- SOIL AND ROCK	Rock	Modulus of elasticity	IS 9221
369	MECHANICAL- SOIL AND ROCK	Rock	Point Load Strength Index	IS 8764
370	MECHANICAL- SOIL AND ROCK	Rock	Poisson Ratio	IS 9221
371	MECHANICAL- SOIL AND ROCK	Rock	Relative Density	IS 13030
372	MECHANICAL- SOIL AND ROCK	Rock	Tensile Strength by Brazilian Test	IS 10082
373	MECHANICAL- SOIL AND ROCK	Rock	Unconfined Compressive Strength	IS 9143
374	MECHANICAL- SOIL AND ROCK	Rock	Water Content	IS 13030
375	MECHANICAL- SOIL AND ROCK	Soil	Consolidation Test	IS 2720 (Part 15)
376	MECHANICAL- SOIL AND ROCK	Soil	Direct Shear Test (Angle of Shearing Resistance 'Phi')	IS 2720 (Part 13)
377	MECHANICAL- SOIL AND ROCK	Soil	Direct Shear Test (Cohesion Intercept 'C')	IS 2720 (Part 13)
378	MECHANICAL- SOIL AND ROCK	Soil	Direct Shear Test (Angle of Shearing resistance "Phi")	IS 2720 (Part 39 Sec 1)
379	MECHANICAL- SOIL AND ROCK	Soil	Direct Shear Test (Cohesion Intercept)	IS 2720 (Part 39 Sec 1)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 21 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
380	MECHANICAL- SOIL AND ROCK	Soil	Free Swell Index (FSI)	IS 2720 (Part XL)
381	MECHANICAL- SOIL AND ROCK	Soil	Grain Size Analysis (Dry Sieve Analysis)	IS 2720 (Part IV)
382	MECHANICAL- SOIL AND ROCK	Soil	Grain Size Analysis (Hydrometer Method)	IS 2720 (Part IV)
383	MECHANICAL- SOIL AND ROCK	Soil	Grain Size Analysis (Wet Sieve Analysis)	IS 2720 (Part IV)
384	MECHANICAL- SOIL AND ROCK	Soil	Layer Coefficient Ratio	IRC SP 59
385	MECHANICAL- SOIL AND ROCK	Soil	Light Compaction Test (Dry Density)	IS 2720 (Part 7)
386	MECHANICAL- SOIL AND ROCK	Soil	Light Compaction Test (Moisture Content)	IS 2720 (Part VII)
387	MECHANICAL- SOIL AND ROCK	Soil	Linear Shrinkage	IS 2720 (Part 20)
388	MECHANICAL- SOIL AND ROCK	Soil	Permeability by Constant Head Method	IS 2720 (Part 17)
389	MECHANICAL- SOIL AND ROCK	Soil	Permeability by Falling Head Method	IS 2720 (Part 17)
390	MECHANICAL- SOIL AND ROCK	Soil	Sand Equivalent Value	IS 2720 (Part XXXVII)
391	MECHANICAL- SOIL AND ROCK	Soil	Shrinkage Limit	IS 2720 (Part VI)
392	MECHANICAL- SOIL AND ROCK	Soil	Swelling Pressure	IS 2720 (Part 41)
393	MECHANICAL- SOIL AND ROCK	Soil	Triaxial Compression Test with the Measurement of Pore Water Pressure (Angle of Shear Plane 'Phi')	IS 2720 (PART 12)
394	MECHANICAL- SOIL AND ROCK	Soil	Triaxial Compression Test with the Measurement of Pore Water Pressure (Cohesion 'C')	IS 2720 (PART 12)
395	MECHANICAL- SOIL AND ROCK	Soil	Triaxial Compression Test without the Measurement of Pore Water Pressure (Angle of Shear Plane 'Phi')	IS 2720 (Part 11)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 22 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
396	MECHANICAL- SOIL AND ROCK	Soil	Triaxial Compression Test without the Measurement of Pore Water Pressure (Cohesion 'C')	IS 2720 (Part 11)
397	MECHANICAL- SOIL AND ROCK	Soil	Water Content	IS 2720 (Part II)
398	MECHANICAL- SOIL AND ROCK	Soil/Bentonite	Specific Gravity	IS 2720 (Part III) Sec1/2
399	MECHANICAL- SOIL AND ROCK	Soil/Bentonite/WMM/GSB	Liquid Limit	IS 2720 (Part 5)
400	MECHANICAL- SOIL AND ROCK	Soil/Cement Treated Sub-Base	Unconfined Compressive Strength	IS 2720 (Part 10)
401	MECHANICAL- SOIL AND ROCK	Soil/GSB	California Bearing Ratio (CBR)	IS 2720 (Part 16)
402	MECHANICAL- SOIL AND ROCK	Soil/WMM/GSB	Heavy Compaction Test (Dry Density)	IS 2720 (Part VIII)
403	MECHANICAL- SOIL AND ROCK	Soil/WMM/GSB	Heavy Compaction Test (Moisture Content)	IS 2720 (Part VIII)
404	MECHANICAL- SOIL AND ROCK	Soil/WMM/GSB	Plastic Limit	IS 2720 (Part 5)
405	MECHANICAL- SOIL AND ROCK	Water Bound Macadam	Grain Size Analysis	IS 2720 (Part 4)
406	MECHANICAL- SOIL AND ROCK	Wet Mix Macadam	Grain Size Analysis	IS 2720 (Part 4)
407	MECHANICAL- TEXTILE MATERIALS	Galvanized Steel Wire With Polymer Coating	Percentage Elongation of Galvanized Steel Wire	IS 1608 (Part 1)
408	MECHANICAL- TEXTILE MATERIALS	Asphalt Reinforced Geogrid	Elongation	ASTM D 6637
409	MECHANICAL- TEXTILE MATERIALS	Asphalt Reinforced Geogrid	Elongation	ISO 10319
410	MECHANICAL- TEXTILE MATERIALS	Asphalt Reinforced Geogrid	Melting Point	ASTM D 276
411	MECHANICAL- TEXTILE MATERIALS	Asphalt Reinforced Geogrid	Tensile Strength	ASTM D 6637
412	MECHANICAL- TEXTILE MATERIALS	Asphalt Reinforced Geogrid	Tensile Strength	ISO 10319
413	MECHANICAL- TEXTILE MATERIALS	Canvas Fabric	Proofing Content	IS 6803 Appendix A



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 23 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
414	MECHANICAL- TEXTILE MATERIALS	Canvas Fabric/Duck,Polyester Cotton Blended Fabric	Water Repellency of Fabrics by Cone Test	IS 7941
415	MECHANICAL- TEXTILE MATERIALS	Canvas Fabrics	Water Repellency by Water Spray Test	IS 390
416	MECHANICAL- TEXTILE MATERIALS	Canvas Fabrics	Water Repellency of Fabrics by Cone Test	IS 7941
417	MECHANICAL- TEXTILE MATERIALS	Cavity Box	Density	ASTM D 792
418	MECHANICAL- TEXTILE MATERIALS	Cavity Box	Elongation	ASTM D 638
419	MECHANICAL- TEXTILE MATERIALS	Cavity Box	Melt Flow Rate	ASTM D 1238
420	MECHANICAL- TEXTILE MATERIALS	Cavity Box	Tensile Strength	ASTM D 638
421	MECHANICAL- TEXTILE MATERIALS	Coated Fabric/Water Proof Tarpaulins Fabric/Camping Tent Fabric	Bursting Strength by Hydraulic method	IS 7016 (Part 6 Sec 2)
422	MECHANICAL- TEXTILE MATERIALS	Coated Fabric/Water Proof Tarpaulins Fabric/Camping Tent Fabric	Bursting Strength by Steel-ball method	IS 7016 (Part 6 Sec)
423	MECHANICAL- TEXTILE MATERIALS	Coated Fabric/Water Proof Tarpaulins Fabric/Camping Tent Fabric	Tear Strength	IS 7016 (Part 3 Sec 2)
424	MECHANICAL- TEXTILE MATERIALS	Coated Fabric/Waterproof Tarpaulins Made From Woven Polyester Fabric	Tear Force Using Ballistic Pendulum Method (Elmendorf)	IS 6489 (Part 1)
425	MECHANICAL- TEXTILE MATERIALS	Coir Bhoovastra	Mass Per Unit Area	IS 15868 (Part 1)
426	MECHANICAL- TEXTILE MATERIALS	Coir Bhoovastra	Percentage Elongation of Coir Bhoovastra	IS 16635
427	MECHANICAL- TEXTILE MATERIALS	Coir Bhoovastra	Percentage of Swell of Coir	IS 15868 (Part 3)
428	MECHANICAL- TEXTILE MATERIALS	Coir Bhoovastra	Tensile Strength of Coir	IS 16635
429	MECHANICAL- TEXTILE MATERIALS	Coir Bhoovastra	Thickness of coir bhoovastra	IS 15868 (Part 2)
430	MECHANICAL- TEXTILE MATERIALS	Coir Bhoovastra	Trapezoidal Tearing Strength	IS 14293
431	MECHANICAL- TEXTILE MATERIALS	Coir Bhoovastra	Water absorption Capacity of Coir	IS 15868 (Part 4)
432	MECHANICAL- TEXTILE MATERIALS	Common Proofed Canvas Asiduck And Paulins/Special Proofed Canvas and Duck/Canvas Fabric	Pliability Test	IS 2089



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 24 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
433	MECHANICAL- TEXTILE MATERIALS	Cotton Backing Cloth	Linear Density of Spun Yarns	IS 1315
434	MECHANICAL- TEXTILE MATERIALS	Cotton Backing Cloth/"Waterproof Tarpaulins Made From Woven Polyester Fabric	Dimensional Changes on Soaking in Water	IS 2977
435	MECHANICAL- TEXTILE MATERIALS	Cotton filter Cloth/Filter Cloth From Spun Polypropylene Yarn/Woven Glass Fiber Fabric/Wool Felt	Thickness	IS 7702
436	MECHANICAL- TEXTILE MATERIALS	Double Texture Rubberized Water Proofing Fabric	Proofing Content	IS 6110 Appendix D
437	MECHANICAL- TEXTILE MATERIALS	Duck,Polyester Cotton Blended Fabric	Flammability and Flame Resistance	IS 11871
438	MECHANICAL- TEXTILE MATERIALS	Ethyl propylene diene monomer (EPDM)	Durometer Hardness (Shore A)	ASTM D 2240
439	MECHANICAL- TEXTILE MATERIALS	Ethyl propylene diene monomer (EPDM)	Density	ASTM D 792
440	MECHANICAL- TEXTILE MATERIALS	Expanded Vinyl Coated Fabrics	Determination of Thickness of Expanded Vinyl Coated Fabric	IS 8698 (Annex A)
441	MECHANICAL- TEXTILE MATERIALS	Expanded Vinyl Coated Fabrics	Flame Resistance of Expanded Vinyl Coated Fabrics	IS 8698 (Annex G)
442	MECHANICAL- TEXTILE MATERIALS	Expanded Vinyl Coated Fabrics	Resistance To Heat And Loss of Mass on Heating	IS 8698 (Annex C)
443	MECHANICAL- TEXTILE MATERIALS	Expanded Vinyl Coated Fabrics	Resistance To Penetration of Water of Expanded Vinyl Coated Fabrics	IS 8698 (Annex H)
444	MECHANICAL- TEXTILE MATERIALS	Expanded Vinyl Coated Fabrics	Test For Adhesion Of Print of Expanded Vinyl Coated Fabrics	IS 8698 (Annex F)
445	MECHANICAL- TEXTILE MATERIALS	Fabric	Abrasion Resistance of Fabrics by the Martindale Method	IS 12673 (Part 1)
446	MECHANICAL- TEXTILE MATERIALS	Fabric (Non Woven)	Dimensional stability of knitted fabrics made of synthetic fibres	IS 4419
447	MECHANICAL- TEXTILE MATERIALS	Fabric (Non Woven)	Dimensional Stability of Textile Materials to Dry Heat Treatments	IS 12170
448	MECHANICAL- TEXTILE MATERIALS	Fabric (Non Woven)	Pilling Resistance by Modified Martindale Method	IS 10971 (Part 2)
449	MECHANICAL- TEXTILE MATERIALS	Fabric (Non Woven)	Pilling Resistance by Pilling Box Method	IS 10971 (Part 1)
450	MECHANICAL- TEXTILE MATERIALS	Fabric,Woven Glass Fibre, For Electrical Insulation And Plastic Laminate (Loomstate Fabrics)	Breaking Strength of Fabric,Woven Glass Fibre	IS 13128 (Part 1)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 25 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
451	MECHANICAL- TEXTILE MATERIALS	Fabric,Woven Glass Fibre, For Electrical Insulation And Plastic Laminate (Loomstate Fabrics)	Mass of Fabric,Woven Glass Fiber	IS 13128 (Part 1)
452	MECHANICAL- TEXTILE MATERIALS	Fabrics	Breaking Force by Strip Method	ASTM D 5035
453	MECHANICAL- TEXTILE MATERIALS	Fabrics	Breaking Force by Strip Method	IS 1969 (Part 1)
454	MECHANICAL- TEXTILE MATERIALS	Fabrics	Breaking Strength (Grab Test)	ASTM D 5034
455	MECHANICAL- TEXTILE MATERIALS	Fabrics	Breaking Strength (Grab Test)	IS 1969 (Part 2)
456	MECHANICAL- TEXTILE MATERIALS	Fabrics	Bursting Strength by Ball Burst	ASTM D 3787
457	MECHANICAL- TEXTILE MATERIALS	Fabrics	Elongation at Break	IS 7016 (Part 2)
458	MECHANICAL- TEXTILE MATERIALS	Fabrics	Elongation at Break	IS 7016 (Part 2)
459	MECHANICAL- TEXTILE MATERIALS	Fabrics	Elongation by Grab Method	ASTM D 5034
460	MECHANICAL- TEXTILE MATERIALS	Fabrics	Elongation by Strip Method	ASTM D 5035
461	MECHANICAL- TEXTILE MATERIALS	Fabrics	Elongation by Strip Method	IS 1969 (Part 1)
462	MECHANICAL- TEXTILE MATERIALS	Fabrics	Horizontal Flammability	IS 15061
463	MECHANICAL- TEXTILE MATERIALS	Fabrics	Mass Per Unit Area	IS 7016 (Part 1 Sec 2)
464	MECHANICAL- TEXTILE MATERIALS	Fabrics	Mass Per Unit Area	IS 7016 (Part 1 Sec 2)
465	MECHANICAL- TEXTILE MATERIALS	Fabrics	Seam Efficiency	ASTM D 1683
466	MECHANICAL- TEXTILE MATERIALS	Fabrics	Sewn Seam Strength	ASTM D 1683
467	MECHANICAL- TEXTILE MATERIALS	Fabrics	Tear Resistance	IS 7016 (Part 3 Sec 1)
468	MECHANICAL- TEXTILE MATERIALS	Fabrics	Tensile Strength	IS 7016 (Part 2)
469	MECHANICAL- TEXTILE MATERIALS	Fabrics	Tensile Strength	IS 7016 (Part 2)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 26 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
470	MECHANICAL- TEXTILE MATERIALS	Fabrics (Woven and Non- woven)	Breaking Force by Strip Method	ASTM D 5035
471	MECHANICAL- TEXTILE MATERIALS	Fabrics for Awnings and Camping Tents	Tear Force by Ballistic Pendulum Method	IS 6489 (Part 1)
472	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Breaking Strength (Grab Test)	ASTM D 5034
473	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Breaking Strength (Grab Test)	IS 1969 (PART 2)
474	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Bursting Strength by Ball Burst	ASTM D 3787
475	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Bursting Strength by Diaphragm Bursting Tester Method	ASTM D 3786
476	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Bursting Strength by Diaphragm Bursting Tester Method	IS 1966 (Part 1)
477	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Ease of Ignition of Vertically Oriented Specimen	IS 15589
478	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Ease of Ignition of Vertically Oriented Specimen	ISO 6940
479	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Elongation by Grab Method	ASTM D 5034
480	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Elongation by Strip Method	ASTM D 5035
481	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Elongation by Strip Method	IS 1969 (Part 1)
482	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Flammability and Flame Resistance	IS 11871
483	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Horizontal Flammability	IS 15061
484	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Length and Width	ASTM D 3773
485	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Length and Width	ASTM D 3774
486	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Mass Per Linear Metre	ASTM D 3776
487	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Mass Per Unit Area	ASTM D 3776



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8077	Page No	27 of 43
Validity	18/11/2022 to 17/11/2024	Last Amended on	26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
488	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Mass per Unit Length and Mass per Unit Area	IS 1964
489	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Oil Repellency	ISO 14419
490	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven and Non- woven)	Thickness	ASTM D 1777
491	MECHANICAL- TEXTILE MATERIALS	Fabrics(Woven)	Threads Per Unit Length	IS 1963
492	MECHANICAL- TEXTILE MATERIALS	Fabrics/"Common Proofed Canvas Asiduck And Paulins/Duck, Polyester Cotton Blended, Rip-Stop Fabric/Special Proofed Canvas and Duck/Cotton Filter Cloth/Cotton Backing Cloth For Abrasives/Waterproof Tarpaulins Made From Woven Polyester Fabric/Polyester Filter Cloth/Filter Cloth From Spun Polypropylene Yarn/Polyamide Duck Fabric For Industrial Use/"Polyester Cotton Belting Duck/Duck, Polyesteivcotton Blended, Rip-Stop/Polyster Cotton/Canvas Fabric/Cotton Filter Cloth/Cotton Backing Cloth/Filter Cloth/Rayon Duck Fabric/Polymide Duck Fabric/Polyester Cotton/Cotton Duck Fabric/Cotton Canvas Fabric/Cotton Hose Fabric	Breaking Force by Strip Method of Fabric	IS 1969 (Part 1)
493	MECHANICAL- TEXTILE MATERIALS	Fabrics/Nonwoven Fusible Interlinings/Nonwoven Sew-In Interlinings Fabric	Bursting Strength by Diaphragm Bursting Tester Method	IS 1966 (Part 1)
494	MECHANICAL- TEXTILE MATERIALS	Fabrics/Waterproof Tarpaulins Made From Woven Polyester Fabric/Rayon Duck Fabric For Industrial Use/Polyamide Duck Fabric For Industrial Use/Polyester Cotton Belting Duck/Cotton Hose Fabric	Length and Width	IS 1954
495	MECHANICAL- TEXTILE MATERIALS	Fumigation Sheet and Cover, Rubberized	Proofing Content	IS 4810 Appendix A
496	MECHANICAL- TEXTILE MATERIALS	Fumigation Sheets And Covers, Rubberized	Accelerated Ageing And Heat Resistance	IS 3400 (Part 4)
497	MECHANICAL- TEXTILE MATERIALS	Fumigation Sheets And Covers, Rubberized	Adhesion of Rubber	IS 3400 (Part 5)
498	MECHANICAL- TEXTILE MATERIALS	Fumigation Sheets And Covers, Rubberized	Resistance to Fumigant	IS 4810
499	MECHANICAL- TEXTILE MATERIALS	Fumigation Sheets And Covers, Rubberized/Cotton Filter Cloth/Cotton backing Cloth/Water Proof Tarpaulins/ polyester Filter Cloth/"Filter Cloth for Polypropylene Yarn/ Rayon Duck Fabric/Polyamide Duck Fabric/ Polyester Cotton Belting Duck/Duck, Polyester Cotton Blended/ Woven Glass Fiber/Polyester Cotton /Filter Cloth/Cotton Duck Fabric/Cotton Hose Fabric	Thread Per unit Length	IS 1963



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 28 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
500	MECHANICAL- TEXTILE MATERIALS	Fumigation Sheets And Covers, Rubberized/Single Texture Rubberized Water Proof Fabric/Cotton Filter Cloth/Cotton backing Cloth/Water Proof Tarpaulins/ polyester Filter Cloth/Filter Cloth for Polypropylene Yarn/ Rayon Duck Fabric/Polyamide Duck Fabric/ Polyester Cotton Belting Duck/Duck, Polyester Cotton Blended/ Polyester Cotton/Cotton Filter Cloth/Filter Cloth	Mass Per Unit Area	IS 1964
501	MECHANICAL- TEXTILE MATERIALS	Fumigation Sheets And Covers, Rubberized/Single Texture Rubberized Water Proof Fabric/Cotton Filter Cloth/Cotton backing Cloth/Water Proof Tarpaulins/ polyester Filter Cloth/Filter Cloth for Polypropylene Yarn/ Rayon Duck Fabric/Polyamide Duck Fabric/ Polyester Cotton Belting Duck/Duck, Polyester Cotton Blended/ Polyester Cotton/Cotton Filter Cloth/Filter Cloth/	Mass Per Unit Length	IS 1964
502	MECHANICAL- TEXTILE MATERIALS	Galvanized Steel Wire With Polymer Coating	Polymer Coating Thickness	IS 16014
503	MECHANICAL- TEXTILE MATERIALS	Galvanized Steel Wire With Polymer Coating	Tensile Strength of Mesh Wire	IS 1608 (Part 1)
504	MECHANICAL- TEXTILE MATERIALS	Geo Cell	Environmental Stress-Cracking Resistance	ASTM D 1693
505	MECHANICAL- TEXTILE MATERIALS	Geo Cell	Density of Geo Cell	ASTM D 1505
506	MECHANICAL- TEXTILE MATERIALS	Geo Textile/ Geobag	Wide Width Elongation	IS 16635
507	MECHANICAL- TEXTILE MATERIALS	Geo Textile/Geobag	Seam Efficiency	IS 15060
508	MECHANICAL- TEXTILE MATERIALS	Geo Textile/Geogrid/Geostrap	Coefficient of Interaction by Pullout test	BS EN 13738
509	MECHANICAL- TEXTILE MATERIALS	Geo Textile/Geogrid/Geostrap	Direct Shear test (Angle of Shearing resistance "Phi")	ISO 12957 (Part 1)
510	MECHANICAL- TEXTILE MATERIALS	Geo Textile/Geogrid/Geostrap	Direct Shear Test (Coefficient of Direct Sliding)	ISO 12957 (Part 1)
511	MECHANICAL- TEXTILE MATERIALS	Geo Textile/Geogrid/Geostrap	Direct Shear Test (Cohesion Intercept)	ISO 12957 (Part 1)
512	MECHANICAL- TEXTILE MATERIALS	Geo Textile/Geogrid/Geostrap/Geosynthetic Products	Chemical Resistance to acid and alkaline	BS EN 14030
513	MECHANICAL- TEXTILE MATERIALS	Geo Textile/Geogrid/Geostrap/Geosynthetic Products	Chemical Resistance of Geosynthetic Products	ASTM D 6389
514	MECHANICAL- TEXTILE MATERIALS	Geo Textiles	Elongation by Strip Method	ISO 13934 (Part 1)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO
INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 29 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
515	MECHANICAL- TEXTILE MATERIALS	Geo Textiles	In Plane Hydraulic Transmissivity Test	ASTM D 4716
516	MECHANICAL- TEXTILE MATERIALS	Geo Textiles	Tensile Strength using Strip Method	ISO 13934 (Part 1)
517	MECHANICAL- TEXTILE MATERIALS	Geo Textiles / Geocomposite	In plane Water Flow	IS 17179
518	MECHANICAL- TEXTILE MATERIALS	Geo Textiles / Geocomposite/Geobag	Static Puncture Test (CBR Test)	IS 16078
519	MECHANICAL- TEXTILE MATERIALS	Geo Textiles / Geogrid / Geostrap	Direct Shear Test Adhesion Intercept	ASTM D 5321
520	MECHANICAL- TEXTILE MATERIALS	Geo Textiles / Geogrid / Geostrap	Direct Shear Test Angle of Friction	ASTM D 5321
521	MECHANICAL- TEXTILE MATERIALS	Geo Textiles / Geogrid / Geostrap	Direct Shear Test (Coefficient of Direct Sliding)	IS 13326 (Part 1)
522	MECHANICAL- TEXTILE MATERIALS	Geo Textiles / Geogrid / Geostrap	Direct Shear Test (Coefficient of Direct Sliding)	ASTM D 5321
523	MECHANICAL- TEXTILE MATERIALS	Geo Textiles and Related Products	Tensile Creep and Creep Rupture behavior	IS 14739
524	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/ Geobag	Wide Width Elongation	ASTM D 4595
525	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/ Geobag	Wide Width Tensile Strength	ASTM D 4595
526	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/ Geobag	Wide Width Tensile Strength	IS 16635
527	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/ Geobag	Wide Width Tensile Strength	ISO 10319
528	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Apparent Opening Size	IS 14294
529	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Dynamic Perforation Test (Cone Drop Test)	ISO 13433
530	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Elongation by Grab Method	ISO 13934 (Part 2)
531	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Grab Breaking Load	IS 16342
532	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Index Puncture Resistance	ASTM D 4833
533	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Mass Per Unit Area	IS 14716



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 30 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
534	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Mass Per Unit Area	ISO 9864
535	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Nominal Thickness	ASTM D 5199
536	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Nominal Thickness	IS 13162 (Part 3)
537	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Puncture Resistance By Falling Cone Method (Cone Drop Test)	IS 13162 (Part 4)
538	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Seam Efficiency	ISO 10321
539	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Static Puncture Strength (CBR Test)	ISO 12236
540	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Tensile Strength by Grab Method	ISO 13934 (Part 2)
541	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Tensile Test For Joints/Seam for Wide-Width Strip Method	ISO 10321
542	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Thickness	ISO 9863 (Part 2)
543	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Trapezoid Tearing Strength	IS 14293
544	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Water Permeability By Permittivity	IS 14324
545	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Geobag	Water Permeability By Permittivity	ISO 11058
546	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Silt Fence/Geobag	Apparent Opening Size	ASTM D 4751
547	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Silt Fence/Geobag	Grab Breaking Elongation	ASTM D 4632
548	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Silt Fence/Geobag	Grab Breaking Load	ASTM D 4632
549	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Silt Fence/Geobag	Mass Per Unit Area	ASTM D 5261
550	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Silt Fence/Geobag	Static Puncture Strength (CBR Test)	ASTM D 6241
551	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Silt Fence/Geobag	Trapezoid Tearing Strength	ASTM D 4533
552	MECHANICAL- TEXTILE MATERIALS	Geo Textiles/Silt Fence/Geobag	Water Permeability By Permittivity	ASTM D 4491



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO
INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-8077

Page No

31 of 43

Validity

18/11/2022 to 17/11/2024

Last Amended on

26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
553	MECHANICAL- TEXTILE MATERIALS	Geocell	Carbon Black Content	ASTM D 4218
554	MECHANICAL- TEXTILE MATERIALS	Geocell	Density	ASTM D 792
555	MECHANICAL- TEXTILE MATERIALS	Geocell	Local Overstressing Test	ISO 13426 (Part 1)
556	MECHANICAL- TEXTILE MATERIALS	Geocell	Peeling Test	ISO 13426 (Part 1)
557	MECHANICAL- TEXTILE MATERIALS	Geocell	Relative Density / Specific Gravity	ASTM D 792
558	MECHANICAL- TEXTILE MATERIALS	Geocell	Splitting Test	ISO 13426 (Part 1)
559	MECHANICAL- TEXTILE MATERIALS	Geocell	Tensile Shear Stress	ISO 13426 (Part 1)
560	MECHANICAL- TEXTILE MATERIALS	Geocell	Thickness	ASTM D 5199
561	MECHANICAL- TEXTILE MATERIALS	Geocomposite (Fin Drain Core)	CBR (Displacement)	ISO 12236
562	MECHANICAL- TEXTILE MATERIALS	Geocomposite (Fin Drain Core)	Elongation	ISO 10319
563	MECHANICAL- TEXTILE MATERIALS	Geocomposite (Fin Drain Core)	In plane Water Flow	ISO 12958
564	MECHANICAL- TEXTILE MATERIALS	Geocomposite (Fin Drain Core)	Mass Per Unit Area	ISO 9864
565	MECHANICAL- TEXTILE MATERIALS	Geocomposite (Fin Drain Core)	Static Puncture Test (CBR Test)	ISO 12236
566	MECHANICAL- TEXTILE MATERIALS	Geocomposite (Fin Drain Core)	Tensile Strength	ISO 10319
567	MECHANICAL- TEXTILE MATERIALS	Geocomposite (Fin Drain Core)	Thickness	ISO 9863
568	MECHANICAL- TEXTILE MATERIALS	Geocomposite (Fin Drain)	Apparent Opening Size	ASTM D 4751
569	MECHANICAL- TEXTILE MATERIALS	Geocomposite (Fin Drain)	Water Permeability by Permittivity	ASTM D 4491
570	MECHANICAL- TEXTILE MATERIALS	Geogrid	Elastic Limit	IS 13325
571	MECHANICAL- TEXTILE MATERIALS	Geogrid	Elongation	IS 16474



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 32 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
572	MECHANICAL- TEXTILE MATERIALS	Geogrid	Junction Strength	ASTM D 7737
573	MECHANICAL- TEXTILE MATERIALS	Geogrid	Junction Strength	GRI GG2
574	MECHANICAL- TEXTILE MATERIALS	Geogrid	Strain	IS 13325
575	MECHANICAL- TEXTILE MATERIALS	Geogrid	Tensile Strength	IS 16474
576	MECHANICAL- TEXTILE MATERIALS	Geogrid	Tensile Strength Using Wide Strip Method	IS 13325
577	MECHANICAL- TEXTILE MATERIALS	Geogrid / Geostrap / Geosynthetics / Strip	Installation Damage Reduction Factor	BS 8006 (Part 1)
578	MECHANICAL- TEXTILE MATERIALS	Geogrid / Geostrap / Geosynthetics / Strip	Connection Strength Test	ASTM D 6638
579	MECHANICAL- TEXTILE MATERIALS	Geogrid / Geostrap / Geosynthetics / Strip	Installation Damage Reduction Factor	ASTM D 5818
580	MECHANICAL- TEXTILE MATERIALS	Geogrid / Geostrap / Geosynthetics / Strip	Installation Damage Reduction Factor	IS 16341
581	MECHANICAL- TEXTILE MATERIALS	Geogrid / Geostrap / Geotextile / Geocell / Geosynthetics	Coefficient of Interaction	ASTM D 6706
582	MECHANICAL- TEXTILE MATERIALS	Geogrid / Geostrap / Geotextile / Geocell / Geosynthetics	Coefficient of Interaction	IS 16380
583	MECHANICAL- TEXTILE MATERIALS	Geogrid / Geostrap / Geotextile / Geocell / Geosynthetics	Pullout Resistance Test	ASTM D 6706
584	MECHANICAL- TEXTILE MATERIALS	Geogrid / Geostrap / Geotextile / Geocell / Geosynthetics	Pullout Resistance Test	IS 16380
585	MECHANICAL- TEXTILE MATERIALS	Geogrid/Geostrap/Geo Textile/Geosynthetics Product	Chemical Resistance of Geosynthetics to Liquids	IS 16351
586	MECHANICAL- TEXTILE MATERIALS	Geogrid/Geostrap/Geosynthetics / Strip	Installation Damage Reduction Factor	ISO TR 20432
587	MECHANICAL- TEXTILE MATERIALS	Geogrids	Elongation	ASTM D 6637
588	MECHANICAL- TEXTILE MATERIALS	Geogrids	Mass Per Unit Area	ASTM D 5261
589	MECHANICAL- TEXTILE MATERIALS	Geogrids	Tensile Strength	ASTM D 6637
590	MECHANICAL- TEXTILE MATERIALS	Geogrids	Tensile Strength	ISO 10319



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 33 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
591	MECHANICAL- TEXTILE MATERIALS	Geogrids	Thickness at Rib & Junction	ASTM D 5199
592	MECHANICAL- TEXTILE MATERIALS	Geomembrane	2% Secant Modulus	IS 16475
593	MECHANICAL- TEXTILE MATERIALS	Geomembrane	Index Puncture Resistance	IS 16348
594	MECHANICAL- TEXTILE MATERIALS	Geomembrane	Tensile Strength by Wide Strip	IS 16477
595	MECHANICAL- TEXTILE MATERIALS	Geomembrane / Plastic	Maximum Extension of Tear Resistance (Graves Tear)	ASTM D 1004
596	MECHANICAL- TEXTILE MATERIALS	Geomembrane / Plastic	Tear Resistance (Graves Tear)	ASTM D 1004
597	MECHANICAL- TEXTILE MATERIALS	Geomembranes	2% Secant Modulus	ASTM D 5323
598	MECHANICAL- TEXTILE MATERIALS	Geomembranes	Density and Specific Gravity (Relative Density) of Plastics by Displacement	ASTM D 792
599	MECHANICAL- TEXTILE MATERIALS	Geomembranes	Elongation	ASTM D 638
600	MECHANICAL- TEXTILE MATERIALS	Geomembranes	Elongation of Non reinforced Polyethylene and Non reinforced Flexible Polypropylene Geomembrane	ASTM D 6693
601	MECHANICAL- TEXTILE MATERIALS	Geomembranes	Elongation of Thin Plastic Sheeting	ASTM D 882
602	MECHANICAL- TEXTILE MATERIALS	Geomembranes	Index Puncture Resistance	ASTM D 4833
603	MECHANICAL- TEXTILE MATERIALS	Geomembranes	Melt Flow Rates of Thermoplastics by Extrusion Plastometer (Melt Flow Index)	ASTM D 1238
604	MECHANICAL- TEXTILE MATERIALS	Geomembranes	Nominal Thickness	ASTM D 5199
605	MECHANICAL- TEXTILE MATERIALS	Geomembranes	Nominal Thickness	IS 13162 (Part 3)
606	MECHANICAL- TEXTILE MATERIALS	Geomembranes	Tensile Properties	ASTM D 638
607	MECHANICAL- TEXTILE MATERIALS	Geomembranes	Tensile Strength of Non reinforced Polyethylene and Non reinforced Flexible Polypropylene Geomembrane	ASTM D 6693



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 34 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
608	MECHANICAL- TEXTILE MATERIALS	Geomembranes	Tensile Strength of Thin Plastic Sheeting	ASTM D 882
609	MECHANICAL- TEXTILE MATERIALS	Geostrap	Elongation	ASTM D 6637
610	MECHANICAL- TEXTILE MATERIALS	Geostrap	Elongation	ISO 10319
611	MECHANICAL- TEXTILE MATERIALS	Geostrap	Tensile Strength	ASTM D 6637
612	MECHANICAL- TEXTILE MATERIALS	Geostrap	Tensile Strength	ISO 10319
613	MECHANICAL- TEXTILE MATERIALS	Geostrap	Thickness	ASTM D 5199
614	MECHANICAL- TEXTILE MATERIALS	Geostap/Geogrid	Accelerated Tensile Creep & Creep Rupture by Stepped Isothermal Method	ASTM D 6992
615	MECHANICAL- TEXTILE MATERIALS	Geostap/Geogrid and Geosynthetic Products	Unconfined Tension Creep and Creep Rupture Behavior	ASTM D 5262
616	MECHANICAL- TEXTILE MATERIALS	Geostap/Geogrid/Geotextile And Related Product	Exposure to Light, Moisture, and Heat in a Xenon Arc-Type Apparatus	ASTM D 4355
617	MECHANICAL- TEXTILE MATERIALS	Geostap/Geogrid/Geotextile and Related Products	resistance to exposure of ultra-violet light and water (Xenon arc type apparatus)	IS 13162 (Part 2)
618	MECHANICAL- TEXTILE MATERIALS	Geosynthetic Clay Liner	Fluid Loss of Clay Material	ASTM D 5891
619	MECHANICAL- TEXTILE MATERIALS	Geosynthetic Clay Liner	Flux	ASTM D 5887
620	MECHANICAL- TEXTILE MATERIALS	Geosynthetic Clay Liner	Internal & Interface Shear Strength by Direct Shear Test (C Value)	ASTM D 6243
621	MECHANICAL- TEXTILE MATERIALS	Geosynthetic Clay Liner	Internal & Interface Shear Strength by Direct Shear Test (Phi Value)	ASTM D 6243
622	MECHANICAL- TEXTILE MATERIALS	Geosynthetic Clay Liner	Mass of Bentonite	ASTM D 5993
623	MECHANICAL- TEXTILE MATERIALS	Geosynthetic Clay Liner	Mass of Geosynthetic Clay Liner (GCL)	ASTM D 5993
624	MECHANICAL- TEXTILE MATERIALS	Geosynthetic Clay Liner	Mass per Unit Area of Cap & Carrier Fabric	ASTM D 5261



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO
INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 35 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
625	MECHANICAL- TEXTILE MATERIALS	Geosynthetic Clay Liner	Peel Strength	ASTM D 6496
626	MECHANICAL- TEXTILE MATERIALS	Geosynthetic Clay Liner	Permeability	ASTM D 5887
627	MECHANICAL- TEXTILE MATERIALS	Geosynthetic Clay Liner	Swell Index of Clay	ASTM D 5890
628	MECHANICAL- TEXTILE MATERIALS	Geosynthetic Clay Liner	Tensile Strength	ASTM D 6768
629	MECHANICAL- TEXTILE MATERIALS	Geosynthetics Mat	Mass Per Unit Area	ASTM D 5261
630	MECHANICAL- TEXTILE MATERIALS	Geosynthetics Mat	Tensile Strength	ASTM D 4595
631	MECHANICAL- TEXTILE MATERIALS	Geosynthetics Mat	Thickness	ASTM D 5199
632	MECHANICAL- TEXTILE MATERIALS	Geotextile/ Geobag	Elongation by wide width Tensile test	ISO 10319
633	MECHANICAL- TEXTILE MATERIALS	Geotextile/Geobag	Abrasion Resistance of Geotextiles	ASTM D 4886
634	MECHANICAL- TEXTILE MATERIALS	Geotextile/Geobag	Abrasion Resistance of Geotextiles	IS 14714
635	MECHANICAL- TEXTILE MATERIALS	Geotextile/Geobag	Index Puncture Resistance	IS 16348
636	MECHANICAL- TEXTILE MATERIALS	Geotextile/Geobag	Percentage Elongation	IS 16342
637	MECHANICAL- TEXTILE MATERIALS	Geotextile/geobag	Strength of Sewn or Bonded Seams	ASTM D 4884
638	MECHANICAL- TEXTILE MATERIALS	GeoTextile/Geogrid/Geostrap	Pullout Resistance Test	BS EN 13738
639	MECHANICAL- TEXTILE MATERIALS	Glass Grid	Elongation	ASTM D 6637
640	MECHANICAL- TEXTILE MATERIALS	Glass Grid	Melting Point	ASTM D 276
641	MECHANICAL- TEXTILE MATERIALS	Glass Grid	Tensile Strength	ASTM D 6637
642	MECHANICAL- TEXTILE MATERIALS	Glass Grid	Tensile Strength	ISO 10319
643	MECHANICAL- TEXTILE MATERIALS	Industrial Filter Media Fabric	Air Permeability of Industrial Filter Media Fabric	IS 11056



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 36 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
644	MECHANICAL- TEXTILE MATERIALS	Industrial Filter Media Fabric	Brusting Strength of Industrial Filter Media Fabric	IS 1966 (Part 1)
645	MECHANICAL- TEXTILE MATERIALS	Industrial Filter Media Fabric	Elongation at Break of Industrial Filter Media Fabric	IS 1969 (Part 1)
646	MECHANICAL- TEXTILE MATERIALS	Industrial Filter Media Fabric	Mass per Unit Area of Industrial Filter	IS 1964
647	MECHANICAL- TEXTILE MATERIALS	Industrial Filter Media Fabric	Tensile Strength of Industrial Filter Media Fabric	IS 1969 (Part 1)
648	MECHANICAL- TEXTILE MATERIALS	Industrial Filter Media Fabric	Thickness of Industrial Filter Media Fabric	IS 7702
649	MECHANICAL- TEXTILE MATERIALS	Natural Geotextile	Elongation	ASTM D 4595
650	MECHANICAL- TEXTILE MATERIALS	Natural Geotextile	Elongation	ISO 10319
651	MECHANICAL- TEXTILE MATERIALS	Natural Geotextile	Light Penetration	ASTM D 6567
652	MECHANICAL- TEXTILE MATERIALS	Natural Geotextile	Mass per Unit Area	ASTM D 6475
653	MECHANICAL- TEXTILE MATERIALS	Natural Geotextile	Tensile Strength	ASTM D 4595
654	MECHANICAL- TEXTILE MATERIALS	Natural Geotextile	Tensile Strength	ISO 10319
655	MECHANICAL- TEXTILE MATERIALS	Natural Geotextile	Thickness	ASTM D 5199
656	MECHANICAL- TEXTILE MATERIALS	Non-Reinforced 3D Geo Synthetics Mat	Elongation	ASTM D 4595
657	MECHANICAL- TEXTILE MATERIALS	Non-Reinforced 3D Geo Synthetics Mat	Mass Per Unit Area	ASTM D 3776
658	MECHANICAL- TEXTILE MATERIALS	Non-Reinforced 3D Geo Synthetics Mat	Tensile Strength	ASTM D 4595
659	MECHANICAL- TEXTILE MATERIALS	Non-Reinforced 3D Geo Synthetics Mat	Thickness	ASTM D 6525
660	MECHANICAL- TEXTILE MATERIALS	Non-Woven Fabrics	Mass Per Unit Area	IS 15891 (Part 1)
661	MECHANICAL- TEXTILE MATERIALS	Non-Woven Textile	Breaking Strength of Nonwoven Materials Using the Grab Tensile Test	IS 15891 (Part 18)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 37 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
662	MECHANICAL- TEXTILE MATERIALS	Non-Woven Textile	Elongation of Nonwoven Materials Using the Grab Tensile Test	IS 15891 (Part 18)
663	MECHANICAL- TEXTILE MATERIALS	Nonwoven Fusible Interlinings	Mass of Nonwoven Fusible Interlinings	IS 12806 (ANNEX B)
664	MECHANICAL- TEXTILE MATERIALS	Nonwoven Fusible Interlinings/Nonwoven Sew-In Interlinings Fabric	Determination Of Recovery From Creasing of Textile Fabrics By Measuring The Angle of Recovery	IS 4681
665	MECHANICAL- TEXTILE MATERIALS	Nonwoven Fusible/Sew-in Interlinings	Determination of recovery from creasing of textile fabrics by measuring the angle of recovery	IS 4681
666	MECHANICAL- TEXTILE MATERIALS	Nonwoven Sew-In Interlinings Fabric	Mass of Nonwoven Sew-In Interlinings Fabric	IS 12809 (ANNEX B)
667	MECHANICAL- TEXTILE MATERIALS	Paving Fabrics	Asphalt Retention of Paving Fabrics	ASTM D 6140
668	MECHANICAL- TEXTILE MATERIALS	Paving Fabrics	Grab Strength	ASTM D 4632
669	MECHANICAL- TEXTILE MATERIALS	Paving Fabrics	Mass Per Unit Area	ASTM D 3776
670	MECHANICAL- TEXTILE MATERIALS	Paving Fabrics	Melting Point	ASTM D 276
671	MECHANICAL- TEXTILE MATERIALS	Polyester Filter Cloth/Filter Cloth From Spun Polypropylene Yarn/"Nonwoven Fusible Interlnings/	Washing of Fabrics Woven From Rayon And Synthetic Fibres/Nonwoven Sew-In Interlinings Fabric	IS 1299
672	MECHANICAL- TEXTILE MATERIALS	Polyester Filter Cloth/Filter Cloth From Spun Polypropylene Yarn/Filter Cloth	Determination of The Permeability of Fabrics To Air	IS 11056
673	MECHANICAL- TEXTILE MATERIALS	Prefabricated Vertical Drain PVD- Filter	Grab Elongation	ASTM D 4632
674	MECHANICAL- TEXTILE MATERIALS	Prefabricated Vertical Drain PVD- Filter	Apparent Opening Slze	ASTM D 4751
675	MECHANICAL- TEXTILE MATERIALS	Prefabricated Vertical Drain PVD- Filter	Grab Strength	ASTM D 4632
676	MECHANICAL- TEXTILE MATERIALS	Prefabricated Vertical Drain PVD- Filter	Mass Per Unit Area	ASTM D 5261
677	MECHANICAL- TEXTILE MATERIALS	Prefabricated Vertical Drain PVD- Filter	Trapezoid Tear Strength	ASTM D 4533



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 38 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
678	MECHANICAL- TEXTILE MATERIALS	Prefabricated Vertical Drain PVD- Filter	Water Permeability by Permittivity	ASTM D 4491
679	MECHANICAL- TEXTILE MATERIALS	Prefabricated Vertical Drain PVD-Composite Drain	Elongation	ASTM D 4595
680	MECHANICAL- TEXTILE MATERIALS	Prefabricated Vertical Drain PVD-Composite Drain	Tensile Strength by the Wide-Width Strip Method	ASTM D 4595
681	MECHANICAL- TEXTILE MATERIALS	Prefabricated Vertical Drain PVD-Composite Drain	Thickness	ASTM D5199
682	MECHANICAL- TEXTILE MATERIALS	PVC Coated Fabric	Accelerated Ageing(Mass loss of Coating)	IS 7016 (Part 8)
683	MECHANICAL- TEXTILE MATERIALS	PVC Coated Fabric	Electrical Resistance	IS 3768
684	MECHANICAL- TEXTILE MATERIALS	PVC Coated Fabric/Coated fabric/Vinyl Coated, Flexible and Semi Rigid	Coating Adhesion	IS 7016 (Part 5)
685	MECHANICAL- TEXTILE MATERIALS	PVC Coated Fabric/Fabric for Awnings and Camping Tents/ Canvas Fabric/Camping Tents Fabric	Resistance to Penetration by Water	IS 7016 (Part 7)
686	MECHANICAL- TEXTILE MATERIALS	Reinforced 3D Geo Synthetics Mat	Elongation	ASTM D 4595
687	MECHANICAL- TEXTILE MATERIALS	Reinforced 3D Geo Synthetics Mat	Mass Per Unit Area	ASTM D 3776
688	MECHANICAL- TEXTILE MATERIALS	Reinforced 3D Geo Synthetics Mat	Tensile Strength	ASTM D 4595
689	MECHANICAL- TEXTILE MATERIALS	Reinforced 3D Geo Synthetics Mat	Thickness	ASTM D 6525
690	MECHANICAL- TEXTILE MATERIALS	Single Texture Rubberized Water Proof Fabric	Proofing Content	IS 5915
691	MECHANICAL- TEXTILE MATERIALS	Special Proofed Canvas and Duck	Pressure head test	IS 1389
692	MECHANICAL- TEXTILE MATERIALS	Synthetic Rubber Proofed/Coated fuel pump diaphragm fabric	Accelerated Ageing of Synthetic Rubber	IS 1001
693	MECHANICAL- TEXTILE MATERIALS	Synthetic Rubber Proofed/Coated fuel pump diaphragm fabric	Effect of Liquids of Synthetic Rubber	IS 3400 (Part 6)
694	MECHANICAL- TEXTILE MATERIALS	Synthetic Rubber Proofed/Coated fuel pump diaphragm fabric	Resistance to Oil of Synthetic Rubber	IS 3400 (Part 6)
695	MECHANICAL- TEXTILE MATERIALS	Synthetic Rubber Proofed/Coated fuel pump diaphragm fabric/PVC-Coated Fabric/Double-Texture Rubberised Waterproof of Fabric/Expanded Vinyl Coated Fabric/PVC Coated Fabric for Footwear industries/Coated Fabric	Mass Per Unit Area of Synthetic Rubber	IS 7016 (Part 1/ Sec 2)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8077	Page No	39 of 43
Validity	18/11/2022 to 17/11/2024	Last Amended on	26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
696	MECHANICAL- TEXTILE MATERIALS	Synthetic Rubber Proofed/Coated Fuel Pump Diaphragm Fabric/Tracing Cloth/PVC Coated Fabric for Footwear industries/Coated Fabric	DETERMINATION OF THICKNESS	IS 7016 (Part 1 Sec 3)
697	MECHANICAL- TEXTILE MATERIALS	Synthetic Rubber Proofed/Coated fuel pump diaphragm fabric/Vinyl Coated Fabrics/"Tracing Cloth/Pvc-Coated Fabric/"Vinyl Coated, Flexible And Semi-Rigid /"Double-Texture Rubberised Waterproof Fabric/Expanded Vinyl Coated Fabric/PVC Coated Fabric for Footwear industries/Camping Tents Fabric	Breaking Strength (warp, weft direction)	IS 7016 (Part 2)
698	MECHANICAL- TEXTILE MATERIALS	Synthetic Rubber Proofed/Coated fuel pump diaphragm fabric/Vinyl Coated Fabrics/"Tracing Cloth/Pvc-Coated Fabric/"Vinyl Coated, Flexible And Semi-Rigid /"Double-Texture Rubberised Waterproof Fabric/Expanded Vinyl Coated Fabric/PVC Coated Fabric for Footwear industries/Camping Tents Fabric	Elongation at Break	IS 7016 (Part 2)
699	MECHANICAL- TEXTILE MATERIALS	Textiles	Breaking Strength	IS 15891 (Part 3)
700	MECHANICAL- TEXTILE MATERIALS	Textiles	Liquid Absorption Capacity	IS 15891 (Part 6)
701	MECHANICAL- TEXTILE MATERIALS	Textiles	Tear Strength	IS 15891 (Part 4)
702	MECHANICAL- TEXTILE MATERIALS	Textiles	Thickness	IS 15891 (Part 2)
703	MECHANICAL- TEXTILE MATERIALS	Textiles (Non Woven)	Breaking Strength	IS 15891 (PART 3)
704	MECHANICAL- TEXTILE MATERIALS	Textiles (Non Woven)	Liquid Absorption Capacity	IS 15891 (Part 6)
705	MECHANICAL- TEXTILE MATERIALS	Textiles (Non Woven)	Tear Strength	IS 15891 (Part 4)
706	MECHANICAL- TEXTILE MATERIALS	Textiles (Non Woven)	Thickness	IS 15891 (Part 2)
707	MECHANICAL- TEXTILE MATERIALS	Tracing Cloth	Determination Of Ash of Tracing Cloth	IS 2037 (Appendix A)
708	MECHANICAL- TEXTILE MATERIALS	Tracing Cloth	Determination Of Mass Of Basic Fabric	IS 2037 (Appendix A)
709	MECHANICAL- TEXTILE MATERIALS	Tracing Cloth	Test For Moisture Regain of Tracing Cloth	IS 2037 (Appendix A)
710	MECHANICAL- TEXTILE MATERIALS	Vinyl Coated Fabrics	DETERMINATION OF DIMENSIONAL CHANGE	IS 1259(Annex E)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-8077	Page No	40 of 43
Validity	18/11/2022 to 17/11/2024	Last Amended on	26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
711	MECHANICAL- TEXTILE MATERIALS	Vinyl Coated Fabrics	Determination of Elongation And Elastic Recovery For A Constant Load	IS 1259(Annex J)
712	MECHANICAL- TEXTILE MATERIALS	Vinyl Coated Fabrics	Determination of Resistance To Penetration Of Water	IS 1259 (Annex H)
713	MECHANICAL- TEXTILE MATERIALS	Vinyl Coated Fabrics	Mass Per Unit Area of Vinyl Coated Fabrics	IS 7016 (Part 1 Sec 2)
714	MECHANICAL- TEXTILE MATERIALS	Vinyl Coated Fabrics	Test For Flame Resistance	IS 1259 (Annex G)
715	MECHANICAL- TEXTILE MATERIALS	Vinyl Coated Fabrics/Expanded Vinyl Coated Fabrics/PVC Coated Fabric for Footwear industries/Coated Fabric	Determination of Width	IS 7016 (Part 1 Sec 1)
716	MECHANICAL- TEXTILE MATERIALS	Vinyl Coated Fabrics/PVC Coated Fabric for Footwear industries	RESISTANCE TO HEAT AND LOSS OF MASS ON HEATING	IS 1259 (Annex B)
717	MECHANICAL- TEXTILE MATERIALS	Vinyl Coated Fabrics/PVC Coated Fabric for Footwear industries	Test For Adhesion Of Print	IS 1259 (Annex F)
718	MECHANICAL- TEXTILE MATERIALS	Vinyl Coated Fabrics/PVC-Coated Fabrics/Vinyl Coated, Flexible And Semi-Rigid/Expanded Vinyl Coated Fabrics/ PVC Coated Fabric for Footwear industries/Coated Fabric	DETERMINATION OF RESISTANCE TO DAMAGE BY FLEXING	IS 7016 (Part 4)
719	MECHANICAL- TEXTILE MATERIALS	Vinyl Coated Fabrics/Vinyl Coated, Flexible And Semi-Rigid/Expanded Vinyl Coated Fabric/Duck, Polyester Cotton Blended, Rip-Stop Fabric/Polyester Cotton Fabric	Tear Resistance	IS 7016 (Part 3 Sec1)
720	MECHANICAL- TEXTILE MATERIALS	Vinyl Coated, Flexible and semi Rigid	Fire Resistance Test	IS 3768 (Annex B)
721	MECHANICAL- TEXTILE MATERIALS	Waterproof Tarpaulins Made From Woven Polyester Fabric	Determination of crimp and count of yarn removed from fabrics	IS 3442
722	MECHANICAL- TEXTILE MATERIALS	Waterproof Tarpaulins Made From Woven Polyester Fabric	Count of Yarn Removed from Fabrics	IS 3442
723	MECHANICAL- TEXTILE MATERIALS	Waterproof Tarpaulins Made From Woven Polyester Fabric	Crimp Percentage of Yarn Removed from Fabrics	IS 3442
724	MECHANICAL- TEXTILE MATERIALS	Waterproof Tarpaulins Made From Woven Polyester Fabric	Determination Of Ash Content	IS 16126 (Annex E)
725	MECHANICAL- TEXTILE MATERIALS	Waterproof Tarpaulins Made From Woven Polyester Fabric	Determination of Resistance To Low Temperatures	IS 16126 (Annex G)
726	MECHANICAL- TEXTILE MATERIALS	Waterproof Tarpaulins Made From Woven Polyester Fabric	Determination of Resistance To Water Penetration Hydrostatic Pressure Test	IS 391
727	MECHANICAL- TEXTILE MATERIALS	Waterproof Tarpaulins Made From Woven Polyester Fabric	Resistance To High Temperatures	IS 16126 (Annex F)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 41 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
728	MECHANICAL- TEXTILE MATERIALS	Waterproof Tarpaulins Made From Woven Polyester Fabric	Waterproofing Content	IS 16126 (Annex C)
729	MECHANICAL- TEXTILE MATERIALS	Wools	Tensile Strength of Wool felt	IS 1719
730	MECHANICAL- TEXTILE MATERIALS	Wools	Tensile Strength of Wool felt	IS 1719
731	MECHANICAL- TEXTILE MATERIALS	Woven Apparel Fabrics	Seam Efficiency	ASTM D 1683
732	MECHANICAL- TEXTILE MATERIALS	Woven Apparel Fabrics	Sewn Seam Strength	ASTM D 1683
733	MECHANICAL- TEXTILE MATERIALS	Woven Fabrics	Thread Per Unit Length	ASTM D 3775
734	MECHANICAL- TEXTILE MATERIALS	Yarns	Determination of Lea Strength of Yarns Spun	IS 1671
735	MECHANICAL- TEXTILE MATERIALS	Yarns	Determination of Twist	IS 832 (Part 1)
736	MECHANICAL- TEXTILE MATERIALS	Yarns	Determination of Twist	IS 832 (Part 2)
737	MECHANICAL- TEXTILE MATERIALS	Yarns	Determination of Twist	ISO 17202
738	MECHANICAL- TEXTILE MATERIALS	Yarns	Linear Density of Spun Yarns	IS 1315
739	MECHANICAL- TEXTILE MATERIALS	Yarns	Single Thread elongation at Break	IS 1670
740	MECHANICAL- TEXTILE MATERIALS	Yarns	Single Thread Strength	IS 1670
741	NON-DESTRUCTIVE- BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Concrete	Carbonation Depth Test	IS 516 (Part 5 Sec 3)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 42 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Site Facility				
1	MECHANICAL- SOIL AND ROCK	Concrete Pile	Lateral Load	IS 2911 (Part 4)
2	MECHANICAL- SOIL AND ROCK	Concrete Pile	Pull Out Uplift	IS 2911 (part 4)
3	MECHANICAL- SOIL AND ROCK	Concrete Pile	Vertical Load Compression	IS 2911(Part 4)
4	MECHANICAL- SOIL AND ROCK	Field Testing	Deflection Measurement of Pavement using Benkelman Beam Deflection Test	IRC 81
5	MECHANICAL- SOIL AND ROCK	Field Testing	Measurement of Surface Roughness by Fifth Wheel Bump Integrator	IRC SP 16
6	MECHANICAL- SOIL AND ROCK	Soil	Cyclic Plate Load Test	IS 5249
7	MECHANICAL- SOIL AND ROCK	Soil	Energy Measurement for Dynamic Penetrometers	ASTM D 4633
8	MECHANICAL- SOIL AND ROCK	Soil	Field CBR Test	IS 2720 (Part 31)
9	MECHANICAL- SOIL AND ROCK	Soil	Modulus of Subgrade Reaction	IS 9214
10	MECHANICAL- SOIL AND ROCK	Soil	Static Plate Load Test	IS 1888
11	MECHANICAL- SOIL AND ROCK	Soil (Field Test)	Dynamic Cone Penetration Test	ASTM D 6951
12	MECHANICAL- SOIL AND ROCK	Soil (Field Test)	Dynamic Cone Penetration Test with Slurry	IS 4968 (Part 2)
13	MECHANICAL- SOIL AND ROCK	Soil (Field Test)	Dynamic Cone Penetration Test without Slurry	IS 4968 (Part 1)
14	MECHANICAL- SOIL AND ROCK	Soil and Rock	Earth Resistivity Test of Soil, (Wenners method)	IS 3043
15	MECHANICAL- SOIL AND ROCK	Soil Testing (Field)	Dry Density of Soils In-place, by Core-Cutter Method	IS 2720 (Part XXIX)
16	MECHANICAL- SOIL AND ROCK	Soil Testing (Field)	Dry Density of Soils In-place, by the Sand Replacement Method	IS 2720 (Part XXVIII)
17	MECHANICAL- SOIL AND ROCK	Soil Testing (Field)	Rapid Determination of Water Content from the Gas Pressure using Calcium Carbide	IS 2720 (Part II) Section 5



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : LANDMARK MATERIAL TESTING AND RESEARCH LABORATORY PVT. LTD., G-200 RIICO INDUSTRIAL AREA, MANSAROVAR, JAIPUR, RAJASTHAN, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-8077

Validity 18/11/2022 to 17/11/2024

Page No 43 of 43

Last Amended on 26/01/2023

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
18	MECHANICAL- SOIL AND ROCK	Soil Testing (Field)	Standard Penetration Test	IS 2131
19	NON-DESTRUCTIVE- BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Concrete	Pile Integrity Test	ASTM D 5882
20	NON-DESTRUCTIVE- BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Reinforced Concrete Structure	Bridge Load	IRC SP-51
21	NON-DESTRUCTIVE- BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Reinforced Concrete Structure	Carbonation	BS EN 12390 (Part 10)
22	NON-DESTRUCTIVE- BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Reinforced Concrete Structure	Half Cell Potential Difference	ASTM C 876
23	NON-DESTRUCTIVE- BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Reinforced Concrete Structure	Half Cell Potential Difference	IS 516 (Part 5 Sec 2)
24	NON-DESTRUCTIVE- BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Reinforced Concrete Structure	Pile Integrity	IS 14893
25	NON-DESTRUCTIVE- BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Reinforced Concrete Structure	Rebound Hammer	IS 516 (Part 5 Sec 4)
26	NON-DESTRUCTIVE- BUILDING MATERIALS - REINFORCED CONCRETE STRUCTURES	Reinforced Concrete Structure	Ultrasonic Pulse Velocity	IS 516 (Part 5, Sec 1)